

⑫

EUROPEAN PATENT APPLICATION

⑲ Application number: 79300274.2

⑥ Int. Cl.²: **C 08 J 3/02**
C 08 F 291/00

⑳ Date of filing: 21.02.79

⑳ Priority: 21.02.78 NO 780596
28.08.78 NO 782929

④③ Date of publication of application:
05.09.79 Bulletin 79/18

⑥④ Designated contracting states:
BE CH DE FR GB IT NL SE

⑦① Applicant: SINTEF
Gloschaugen
Trondheim(NO)

⑦② Inventor: Ugelstad, John
Hans Bruns vei 1
Trondheim(NO)

⑦④ Representative: Hildyard, Edward Martin et al,
Frank B. Dehn & Co. Imperial House 15-19 Kingsway
London WC2B 6UZ(GB)

⑤④ A process for preparing an aqueous emulsion or dispersion of a partly water-soluble material.

⑤⑦ An aqueous emulsion or dispersion of a partly water-soluble material is prepared in a two step process, a dispersion of polymer particles containing one or more materials having a very low solubility in water is prepared in the first step and a partly water-soluble material is added in the second step which diffuses into the polymer particles obtained in the first step. Where the partly water-soluble material is a polymerizable monomer, polymerization may be effected after diffusion of the monomer into the polymer particles.

EP 0 003 905 A1

- 1 -

"A process for preparing an aqueous emulsion or dispersion
of a partly water-soluble material"

The present invention relates to a process for preparing aqueous emulsions or dispersions of a partly water-soluble material or mixtures of partly water-soluble materials, and possibly further polymerisation when the partly water-soluble material is a monomer or a mixture containing one or more monomers.

In U.S. Patent Specification No. 4,113,687, which discloses a process for preparing emulsions of somewhat water-soluble vinyl monomers, it has been demonstrated that it is possible to prepare stable emulsions of vinyl monomer by preparing in a first step an aqueous pre-emulsion of a material having a very low solubility in water, by an efficient homogenisation process, and then upon addition of water and emulsifier allowing the somewhat water-soluble vinyl monomer to diffuse into the droplets of the material having a very low solubility in water. The fact that the droplets in the pre-emulsion consisted of a material which combined very low water solubility and low molecular weight, had the effect that the droplets could absorb 50-500 times their own volume of the somewhat water-soluble vinyl monomer, with formation of stable dispersions which were subjected to polymerisation to form a latex. The pre-emulsion was in this case prepared by homogenisation, which leads to a broad distri-

- 2 -

bution of the droplet size which became even broader after absorption of the vinyl monomer.

In German Offenlegungsschrift P27 51 867.8 there is disclosed the preparation of a dispersion of particles by
5 ordinary emulsion polymerisation, but in contrast to ordinary polymer latexes, the particles contain a substantial fraction of oligomers having a much lower molecular weight. As a consequence of this the particles may take up 20-200 times their own volume of a somewhat water-
10 soluble substance. In order to attain the formation of oligomers having low molecular weight by ordinary emulsion polymerisation there is used according to German Offenlegungsschrift P27 51 867.8 an addition of chain transfer agent during the polymerisation, which causes
15 the formation of shorter chains.

Both in the process described in U.S. Patent Specification No. 4,113,687 and in German Offenlegungsschrift P27 51 867.8, there is obtained in a first step a pre-emulsion of particles which have the
20 ability to take up a somewhat water-soluble material in an amount of 10-200 times more than corresponding polymer particles.

By the method described in German Offenlegungsschrift P27 51 867.8 one avoids the
25 homogenisation of the substance having a very low solubility in water and having a low molecular weight, which is described in U.S. Patent Specification No. 4,113,687. Further, the method disclosed in German Offenlegungsschrift P27 51 867.8 provides greater
30 possibilities for the preparation of more monodisperse droplets or particles with a predetermined size. A disadvantage of the method

- 3 -

described in German Offenlegungsschrift P 27 51 867.8, is however, that the chain transfer agent which usually will be a mercaptan compound, is a badly smelling, slightly toxic compound with which it is unpleasant to work. Further, addition thereof will often result in a reduction of the rate of polymerisation. It may also require that the chain transfer agent is added in portions or continuously during the polymerisation in order not to obtain a too broad distribution of molecular weight and a too high proportion of highly polymeric material.

According to the present invention there is provided a process for preparation an aqueous emulsion or dispersion of a partly water-soluble material characterised in that a dispersion of polymer particles is prepared in a first step containing one or more materials having a water solubility of $< 10^{-2}$ g/l (herein referred to as Substance I) in an amount of up to 10 times by volume the amount of polymer in said particles and that in a second step the partly water-soluble material (herein referred to as Substance II) is added whereby the said Substance II diffuses into the particles containing Substance I.

Thus aqueous dispersions of particles are prepared which in addition to polymer molecules contain a considerable proportion of one or more low molecular weight material(s) having a very low solubility in water, in the following called Substance I, and which therefore have a much greater ability than particles of pure polymer, to take up a partly water-soluble substance, in the following called Substance II, added in the next step.

- 4 -

In German Offenlegungsschrift P 27 51 867.8 particles containing 10-100% water-insoluble oligomer are prepared by addition a chain transfer agent during the polymerisation of the monomer on which the particles are based.

5 According to the present invention Substance I as such is introduced into the particles. This takes place during or after the formation of the polymer particles by emulsion polymerisation by making it possible for Substance I to diffuse through the aqueous phase and to become absorbed in the
10 particles. Substance I may also be incorporated directly in the polymer particles by preparing an aqueous emulsion of a mixture of Substance I and a monomer by homogenisation and then polymerising the monomer, for instance a vinyl monomer, to obtain polymer particles containing Substance I. The common
15 feature of the two processes is that in the first step there is prepared an aqueous dispersion of particles or droplets which in addition to polymer contains a relatively low molecular weight water-insoluble Substance I, and that these particles, as mentioned above, will be able to absorb a very large amount of
20 a partly water-soluble Substance II which under the conditions given may diffuse through the aqueous phase and be taken up in the particles consisting of polymer and Substance I.

- 5 -

By having prepared in the first step particles which in addition to polymer also contain Substance I, there have been formed particles which are capable of taking up the partly water-soluble Substance II which may diffuse through the aqueous phase to the particles and become absorbed therein. In the second step one may then attain a ratio by volume between Substance II and particles which is 5-100 times higher than with particles of pure polymer. The Substance II used may be any partly water-soluble substance which is capable of diffusing through the aqueous phase. It may for instance also be a monomer or a mixture of a monomer and another Substance II.

In case Substance II added in the second step comprises a monomer, it may be polymerized after absorption in the particles. The present process represents in this case a specific type of seed technique.

The first method in which Substance I is incorporated in the first step in polymer particles prepared by ordinary emulsion polymerisation is particularly suitable when it is

- 6 -

desired to prepare dispersions having a predetermined particle or droplet size and size distribution, including monodisperse droplets or particles and polydisperse systems with a very even size within the individual fractions. Monodisperse emulsions are very difficult to prepare by ordinary emulsion processes. Similarly, it is very difficult to prepare directly monodisperse polymer dispersions having a particle diameter above 1 μm . For several purposes it is desirable to prepare larger particles having a uniform particle size, for instance as standard for microscopy, as model systems for separation, fluid flow, centrifugation, diffusivity measurement and dust investigations. Further, the particles may be used in electro kinetic studies and also within photography, for instance as a coating layer in X-ray film. They may also be used within biomedicine as a means for diagnosis and detection of antigens and antibodies in biological fluids. Similarly, it may also be desirable to have a predetermined size and size distribution in dispersions of active substances having for instance biochemical effect, such as pesticides. Further, for certain paint dispersions a predetermined particle size distribution is desirable. This is also the case with PVC-dispersions. Monodisperse particles may also be used as flattening agent for paint and powder paint. They may also be used as toners, for example in xerography. Further, the particles in dry form may be used for tribological purposes. By using as Substance II a mixture of a partly water-soluble solvent, a vinyl monomer and a divinyl monomer, one may after swelling polymerize and strip off the

- 7 -

solvent in a per se known manner to obtain porous particles which are suitable for separation purposes. By using as Substance II a monomer or a monomer mixture and a low boiling substance, the present process may be used for the preparation
5 of expanding microspheres. Large monodisperse particles may also be used for the preparation of material for ion chromatography wherein it is preferred that the particles are monodisperse to attain minimum pressure drop in the column.

According to the invention for the above purposes
10 one may prepare an aqueous dispersion of polymer particles by ordinary emulsion polymerisation and then with a specific treatment of these particles, increase their ability to take up the somewhat water-soluble material, Substance II. By preparing polymer particles according to general principles it
15 is possible to adjust the size and the size distribution of the particles within wide limits. In the subsequent addition of the partly water-soluble material, dispersions of this material will then be obtained with a droplet size which is completely determined by the size of the premade polymer
20 particles and the amount of Substance II absorbed in the particles. According to the present invention it is possible to absorb in the premade polymer particles up to 800 times the volume of the polymer particles of the partly water-soluble materials by this two step swelling process.

25 In a preferred embodiment of the process according to the invention the polymer particles are swelled in the first step with the material having a very low solubility in water, Substance I. Substance I has a molecular weight of

<5000, preferably <500, and a water solubility of $<10^{-2}$, normally $<10^{-4}$, preferably $<10^{-5}$ g/l of H_2O . In order to attain a transportation of Substance I having a very low solubility in water through the aqueous phase and into the particles, it is necessary to carry out the first step under conditions which facilitate this transfer of Substance I. The transfer may be facilitated in several ways. One may prepare a finely divided aqueous emulsion of Substance I which is added to the dispersion of polymer particles. This distribution will facilitate the transfer by increasing the boundary surface towards water. This fine distribution of Substance I may be provided by using relatively large amounts of emulsifier or mixtures of emulsifiers which will result directly in finely divided emulsions, possibly micro-emulsions, or in specific cases, mixed micelles and/or by using intensive homogenisation of Substance I, water and emulsifier.

The first step may optionally comprise that the swelling of the polymer particles in the first step with Substance I takes place continuously during the preparation of the polymer particles. This may be done by allowing Substance I to be present during the preparation of the polymer. It is then preferably mixed with the monomer or the monomer mixture from which the polymer is prepared, and in addition initiator is used. In order for Substance I to diffuse into the polymer particles as they are formed, the polymerisation is carried out under conditions which allow transport of Substance I through the aqueous phase.

- 9 -

A method which to a great extent will facilitate the transfer of Substance I to the particles, comprises that in the first step there is added a certain amount of a material which is a solvent for Substance I and at the same time is completely or partly soluble in water. This will increase the rate of transfer of Substance I to the particles by increasing the solubility in the aqueous phase. Examples of such solvents are acetone and lower alkanols. Normally said solvents are used in an amount of 1-100 percent of the amount of water, based on volume.

In case the monomer or one of the monomers in a mixture of monomers used for the preparation of polymer particles into which Substance I is to be introduced, is relatively water-soluble, the monomer itself may serve as such a solvent. Examples of such relatively water-soluble monomers are vinyl acetate, acrylic acid, acrylonitrile, methyl acrylate and acrylic amide which then in a subsequent step are polymerized.

Advantageously it is also possible to employ a combination of the above methods which will comprise the preparation of Substance I in a finely dispersed form and the use of an excess of emulsifier or addition of a solvent miscible with water in the first step.

- 10 -

In those cases in which the glass transition temperature, T_g , of the polymer particles is above the temperature at which Substance I is introduced, the diffusion of Substance I into the polymer particles may be rate determining. In this case it may be advantageous to have present a small amount of a substance which will lower the T_g of the particles before introducing Substance I. This may for instance be accomplished by letting the original polymer particles contain a substantial amount of unreacted monomer or during the preparation of the original polymer particles to have present a substance which is sufficiently water-soluble to diffuse into the polymer particles as they are formed. Also this substance may be absorbed in premade polymer particles. The only purpose of this substance is to lower T_g and thereby facilitate transport of Substance I into the particles.

The transfer of Substance I to the polymer particles in the first step, so that they become swelled with Substance I, may be accomplished in several ways. Polymer particles are accordingly obtained containing Substance I in an amount of up to 10, normally 0.05-5, particularly 1-4 times the amount of the polymer, based on volume. An essential feature of the present process is that before adding the somewhat water-soluble Substance II which is to diffuse into the polymer particles in the second step, the conditions are changed so that while Substance II may diffuse through the aqueous phase into the

- 11 -

polymer particles, the transport of Substance I through the aqueous phase in this second step of the process is effectively inhibited so that no Substance I may diffuse out of the polymer particles. Particles which are swelled with

- 5 Substance I may be capable of taking up up to 1000, normally up to 800, particularly 20-300 times their original volume of Substance II. The strong reduction of transport of Substance I from the particles before Substance II is added, which is a necessary condition for the method to work, will partly be
- 10 attained directly when water is added before addition of Substance II. As particles containing Substance I should be charged with up to 800 times their original volume of Substance II, it will be necessary to dilute with water, according to the desired concentration in the final dispersion. Thus, if a
- 15 dispersion is desired in which the ratio between water and Substance II is 1:1, water is added in step 2 in such an amount that the total amount of water will be the same as the amount of Substance II added in step 2. Normally the ratio between water and Substance II in the final dispersion will be from
- 20 95:5 to 20:80. Before addition of this amount of water there is present a relatively high concentration of those materials which have been added to facilitate the transport of Substance I to the particles. By addition of the large amount of H_2O in the second step, the concentration of said materials
- 25 will be strongly reduced, and thereby the possibility of transport of Substance I out of the particles will be

- 12 -

considerably reduced. By using for instance acetone to promote a more readily transport of Substance I to the particles in the first step, it is advantageous to evaporate it off before adding water and Substance II in the second step.

5 It is an essential feature of the present invention for the preparation of the dispersion of Substance II, that addition of Substance I and Substance II takes place in two steps so that Substance I is absorbed in the particles in a first step with conditions enabling transport of Substance I, while
10 Substance II diffuses into the particles under conditions which inhibit the transport of Substance I through the aqueous phase. Thus, it will be found that if Substance I and Substance II are first mixed and this mixture is then added to an aqueous dispersion of the polymer particles, and by
15 addition of for instance acetone, it is made possible for both Substance I and Substance II to be transported through the aqueous phase to the particles, then both Substance I and Substance II will be taken up, but the total amount absorbed will be limited to 1-4 times the volume of the particles.

20 When the ratio between water and Substance II is less than 50:50 it may be advantageous to add Substance II in portions or continuously over a certain period.

As Substance I there may be used any material or mixture of materials which exhibit the given properties, very
25 low water-solubility and relatively low molecular weight. It is

- 13 -

further an advantage that they are non-crystalline at the temperature at which they are incorporated into the particles. It is also an advantage that Substance I is in a liquid form at the temperature at which Substance II is introduced into the particles in the second step, since in this case there will not only be attained the above mentioned strongly increased capacity to absorb Substance II, but also often a very strong increase in the rate of absorption. This is in particular the case when working with a polymer in the initial particles for which the glass transition temperature is above the temperature employed during the swelling with Substance II.

If Substance II is a vinyl monomer which is to be polymerized after having diffused into the particles containing Substance I, it may be advantageous to use as Substance I, wholly or in part, a water-insoluble vinyl monomer which may be co-polymerized with the vinyl monomer added in the second step. Examples of vinyl monomers which satisfy the above requirements with respect to Substance I, are stearyl vinyl ether and stearyl methacrylate.

When the partly water-soluble Substance II wholly or in part is a monomer which after diffusion into the particles polymerizes to a polymer, the present invention represents as mentioned above, a type of seed technique which has often been described in the literature in connection with the preparation of latexes. With an ordinary seed process a latex is prepared by a common emulsion polymerisation, and this latex is used as seed. Monomer, water, emulsifier and initiator are added to this seed, and the polymerisation is performed.

- 14 -

A latex will then be formed having larger particles than in the original seed latex. Means are provided to ensure that the polymerisation takes place inside the seed particles to avoid new formation of particles in the aqueous phase. The weakness
5 of the conventional seed method is that the seed particles which consist of polymer molecules as described above are capable of absorbing only 1-4 times their own volume. If it is desired to prepare 500 g of latex particles from for instance 10 g of seed particles, this must be made in several steps
10 with stepwise addition of emulsifier. The 10 g of seed particles will absorb only up to 40 g of monomer. This will result only in a small increase in the surface, and since it is not desired to have too much emulsifier in the aqueous phase, the amount of emulsifier must be limited to an amount
15 which becomes adsorbed on the surface of the swelled seed particles. After polymerisation additional monomer and emulsifier are added, and the process is repeated. It will be obvious that this will require several steps before 500 g of latex particles have been formed.

20 By using, as according to the present invention, a seed consisting of polymer + Substance I, the seed particles will be capable of absorbing much greater amounts of monomer, it often being possible to add all monomer in one step, and the amount of seed employed may be greatly reduced. In the
25 preparation of very large particles it may be necessary to repeat the process of swelling with monomer, possibly also with Substance I and initiator. In any case the number of steps

will be greatly reduced in comparison with the number of steps necessary for the preparation of particles of the same size by using a common seed process. Further, the swelling of the particles with the large amount of monomer has the effect that a very large increase in the surface is attained. A consequence of this is that even if all emulsifier is added initially, it will to a very high extent become adsorbed on the surface of the swelled particles, and there will be very little emulsifier left in the aqueous phase, and therefore the formation of new particles in the aqueous phase will not take place.

As initiator for polymerisation, water-soluble initiators such as $K_2S_2O_8$ or H_2O_2 may be used. They are preferably added after swelling with monomer. An oil-soluble initiator may also be used. When using an oil-soluble initiator which is somewhat soluble in water, such as azobisisobutyric nitrile (AIBN), this may be added after the monomer has diffused into the particles or it may be dissolved in the monomer before the latter diffuses into the particles. When using oil-soluble initiators which are less water-soluble, such as lauroyl peroxide, it will be necessary to add this together with Substance I as the conditions are then, as described above, such that even substances having a very low solubility in water may be transported through the aqueous phase.

In one embodiment of the present invention an initiator having a very low solubility in water is added, in the first step, dissolved in Substance I. Initiators having a very low water solubility conveniently have a water solubility of $<10^{-2}$ g/l, preferably $<10^{-4}$ g/l and especially 10^{-5} g/l.

Initiators which possess the combination of low solubility in water and low molecular weight may also act as Substance I. It has been found that certain specific initiators which are liquid at the temperatures in question are particularly

- 16 -

favourable as Substance I. They may easily be incorporated in the particles according to the methods described above. This will in particular be of interest when Substance II is a monomer, as such initiators act as Substance I, and further, they will
5 act as initiator for the polymerisation of Substance II. An example of such an initiator is dioctanoyl peroxide.

Oil-soluble initiators which have a very low solubility in water, such as dioctanoyl peroxide, have the advantage in comparison with more water-soluble initiators
10 such as AIBN, that they not only reduce the risk of formation of new particles in the aqueous phase, but they also reduce the risk of bulk polymerisation. With the latter oil-soluble, but also somewhat water-soluble, initiator, it is an absolute requirement that all monomer has been absorbed in the particles
15 before the polymerisation is started by raising the temperature. Similarly, with this initiator care must be taken so that no monomer phase is formed by evaporation and condensation of monomer during the polymerisation. Oil-soluble initiators such as AIBN are sufficiently water-soluble to diffuse into.
20 the possible monomer phase and start a bulk polymerisation which will result in the formation of large lumps and thereby entail great disadvantages. By using an initiator having a very low solubility in water, such as dioctanoyl peroxide, the possibility of all monomer added in the second step not being absorbed, will
25 not be of the same importance since the initiator has such a low water-solubility that it will not diffuse out of the particles through the aqueous phase to the possible monomer phase. Thus,

- 17 -

if a certain monomer phase is intermediately present during the polymerisation, the only thing which may possibly happen is a thermal polymerisation therein, and monomer will primarily be absorbed in the particles containing the initiator as the polymerisation proceeds.

With such an oil-soluble initiator having a very low solubility in water one may therefore, if desired, even swell and polymerize in several steps at the polymerisation temperature without having to reduce the temperature before each swelling process with monomer, to prevent bulk polymerisation. Similarly, for the same reason it is possible to add vinyl monomer continuously during the polymerisation. Even in these cases it is an advantage that Substance I (which in this case is initiator) is liquid at the temperature in question, so that the rate at which the monomer is absorbed in the particles increases. The use of dioctanoyl peroxide or other greatly water-insoluble initiators alone or together with another Substance I which is not initiator has been found very suitable for the preparation of monodisperse particles having a large particle size.

For the preparation of large monodisperse particles according to the present invention one starts with a seed having relatively small monodisperse polymer particles which are charged with Substance I as described above and then with monomer which is then polymerized. The starting seed is prepared by ordinary emulsion polymerisation under conditions which yield monodisperse particles. Such methods are well known in the literature, see for instance Woods, M.E., Dodge, J.S. and Krieger, I.M.,

- 18 -

J. Paint Techn. 40, 541 (1968).

These methods, which all are variations of ordinary emulsion polymerisation, are satisfactory for the preparation of monodisperse particles having a diameter up to approx.

5 0.5 μm . Monodisperse particles having a diameter above 1 μm are difficult to prepare by these methods, and monodisperse particles above 2 μm cannot be prepared by ordinary emulsion polymerisation.

By the process according to the present invention
10 it has been found possible to prepare monodisperse particles with a very low standard deviation having a diameter \approx 5 μm .

The preferred embodiment described above for the preparation of particles containing Substance I is particularly favourable if it is desired to obtain a monodisperse dispersion
15 or a polydisperse dispersion having even particle or droplet sizes within the individual fractions. In some cases this will not be necessary or desirable, and it may be satisfactory or even desirable to obtain a broad distribution of particle size. In this case the other method mentioned above may be used. This
20 is the method which comprises mixing of monomer, Substance I and possibly oil-soluble initiator and then preparing a dispersion of these materials by mixing with water and emulsifier and homogenisation of this mixture with a homogenizer. Due to the presence of Substance I the dispersion prepared will be stable
25 against degradation due to diffusion, as described in our U.S. Patent Specification No. 4,113,687.

After the homogenisation the monomer is polymerized.

- 19 -

This may be accomplished by adding a water-soluble initiator or an oil-soluble, partly water-soluble initiator which diffuses through the aqueous phase into the particles. If an oil-soluble initiator has been present during the homogenisation, the monomer is polymerized by heating after homogenisation.

5 Thereby a dispersion of particles containing 5-90 percent of Substance I is prepared. These particles do not differ in principle from the particles described above wherein Substance I is incorporated in the preformed polymer particles
10 or are present during the preparation.

 The essential common feature of the two methods described above, is that in both cases particles are prepared in a first step which in addition to polymer contain an essential proportion of the relatively low molecular weight
15 Substance I having a low solubility in water, which provides particles having a greatly increased capacity of absorption and results in increased rate of absorption. The particles prepared by the latter method are swelled in the next step with Substance II in the same manner and with the same result as
20 the particles prepared according to the former process. Even with the latter particles Substance II may be a monomer which after absorption is polymerized either by means of the initiator already present in the particles and/or by means of additional initiator or additives which increase the rate of formation of
25 radicals in the particles. The advantages of this seed method in comparison with ordinary seed methods is of course the same as described above and are as follows:

- 20 -

The presence of Substance I in the seed particles entails an enormous increase in the ability of the seed particles to be swelled with monomer. Thereby, the amount of seed used may be reduced. Further, the increased extent of swelling will result in a very large increase of the surface of the particles. Thereby the capacity to adsorb the emulsifier increases, so that all emulsifier may be added initially without any risk of having so much emulsifier present in the aqueous phase that formation of new particles takes place therein. In ordinary seed polymerisation the emulsifier must be added continuously or stepwise to avoid formation of new particles in the aqueous phase.

Since it is possible to use such small amounts of seed, it may be without importance for the properties of the final polymer dispersion which monomer is used in the first step, and it is accordingly possible to use a monomer in the first step which is different from that added in the second step.

The present invention may be used for the preparation of dispersions of any partly water-soluble material and mixtures of such which are capable of diffusing through the aqueous phase, which will require that Substance II conveniently has a water-solubility of $> 10^{-4}$ g/l H_2O , preferably $> 10^{-3}$ g/l H_2O . The ratio between the solubility of Substance I and Substance II is of essential importance. Thus, Substance II should conveniently be at least 10 times, preferably at least 100 times as water-soluble as Substance I. Thus, when Substance I has a

- 21 -

water-solubility of 10^{-4} g/l H_2O , Substance II should preferably have a water-solubility of above 10^{-2} g/l H_2O .

On the other hand, if it is desired to prepare a dispersion of a Substance II with a water-solubility of 10^{-4} g/l H_2O , there
5 should be used a Substance I having a water-solubility of preferably less than 10^{-6} g/l H_2O .

It has been found that even relatively small amounts of Substance I in the polymer particles will provide a considerable increase in the ability of the particles to absorb
10 Substance II compared with particles of pure polymer in the case of relatively large particles. Such a system with large particles containing relatively little of Substance I, in addition to being obtainable from pure polymer dispersions, will be present after a process with swelling of particles
15 having a relatively high content of Substance I with monomer which is then polymerized as described above. Particles have then been obtained which are much larger than the original particles, which means that the amount of polymer has greatly increased while the amount of Substance I is the same as before
20 the process with swelling and polymerisation. It has been found that even with an amount of about 5 percent of Substance I, based on polymer, particles having a diameter of about 2 μm are capable of absorbing an amount of Substance II which is about 40 times higher than the amount of polymer particles,
25 based on volume.

- 22 -

Example I

77 ml of H_2O , 13.5 ml of 1-chlorododecane and 0.2 g of Na-laurylsulphate (NaLS) were homogenized in a two-stage Manton Gaulin homogenizer, model 15 M with 200 kg/cm^2 in the 1st stage and 80 kg/cm^2 in the 2nd stage for 1-1.5 min. This resulted in an emulsion having a droplet diameter of about 0.1-0.2 μm . This emulsion was charged with seed latex of monodisperse polystyrene having a particle diameter of 0.65 μm (determined by electron microscopy). An amount of 83.8 ml of seed latex was used containing 77 ml of H_2O and 6.8 ml of polystyrene particles. Further, 6 ml of H_2O and 18 ml of acetone were added under ordinary stirring at $35-40^\circ\text{C}$. After stirring for 10 hours at 40°C acetone was removed by evaporation under vacuum. The emulsion was examined in optical microscope, and it was found that a monodisperse emulsion having a droplet diameter of about 0.9 μm had been obtained. After evaporating the acetone 1.0 g of Na-lauryl sulphate and 840 ml of H_2O were added, so that a total of 1000 ml of H_2O were present. Then, 800 ml of chlorobenzene were added under ordinary stirring at 30°C . After stirring for 60 min. at 30°C all chlorobenzene had diffused into the droplets. The emulsion was examined in optical microscope, and it was found that a monodisperse emulsion having a droplet diameter of about 3.0 μm had been formed.

25 Example 2

The experiment was carried out as described in example 1, the only difference being that 35 ml of acetone were

- 23 -

used. With this increase in the amount of acetone the stirring time for the introduction of 1-chlorododecane could be reduced to < 5 hours.

Example 3

5 Swelling of monodisperse polystyrene latex with chlorododecane was carried out as described in example 1. After evaporating the acetone 1.0 g of Na-laurylsulphate and 840 ml of H₂O were added, to provide a total of 1000 ml H₂O. Then 800 ml of ethyl benzene were added at 30°C under ordinary
10 stirring. After 60 min. all ethyl benzene had diffused into the droplets. Examination in optical microscope indicated a monodisperse emulsion having a droplet diameter of about 3.0 µm.

Example 4

350 ml of H₂O, 13.5 ml of 1-chlorododecane and
15 6 g of Berol 09 (nonyl phenol ethoxylate containing 10 moles of ethylene oxide per mole of nonyl phenol) were mixed in a high speed mixer of the type Ultraturrax for about 15-20 min. at 10,000 rpm. This yielded an emulsion having a droplet diameter of 0.2-0.5 µm. This emulsion was then added to the same
20 type and amount of polystyrene seed latex as described in example 1. Then 47 ml of acetone were added under ordinary stirring at 35-40°C. After stirring for 10 hours at 40°C acetone was evaporated under vacuum. Examination in optical microscope indicated a monodisperse emulsion having a droplet
25 diameter of 0.9 µm. After evaporation of acetone 1.0 g of Na-lauryl sulphate and 573 ml of H₂O were added, giving a

- 24 -

total of 1000 ml of H_2O . Then 800 ml of ethyl benzene were added under ordinary stirring at $30^{\circ}C$. After stirring for 60 min. at $30^{\circ}C$ all ethyl benzene had diffused into the droplets. Examination in optical microscope indicated a monodisperse emulsion having a droplet diameter of $3.0 \mu m$.

Example 5

75 ml of H_2O , 15 ml of dioctyl adipate and 0.75 g of Na-laurylsulphate were homogenized as described in example 1. This emulsion was added to a seed latex of bidisperse polyvinyl chloride having particle diameters of 0.2 and $0.8 \mu m$ (determined by electron microscopy). 24,3 ml of seed latex were used containing 16.8 ml of H_2O and 7.5 ml of polymer particles. Further, 10 ml of acetone were added under ordinary stirring at $35-40^{\circ}C$. After stirring for 10 hours at $40^{\circ}C$ acetone was removed by evaporation under vacuum. The emulsion was examined in optical microscope, and it was found that the result was a bidisperse emulsion having droplet diameters of about 0.25 and $1.1 \mu m$. After evaporation of acetone 1.8 g of Na-laurylsulphate and 908.2 ml of H_2O were added, to provide a total of 1000 ml of H_2O . Further, 660 ml of dichloroethane were added at $30^{\circ}C$ under ordinary stirring. After stirring for 60 min. at $30^{\circ}C$ all dichloroethane had diffused into the droplets. The emulsion was examined in optical microscope, and it was found that a bidisperse emulsion had been obtained having a droplet diameter of 0.8 and $3.5 \mu m$.

- 25 -

Example 6

330 ml of H_2O , 10 ml of chlorododecane, 10.5 g of Berol 09 (nonyl-phenol ethoxylate containing 10 moles of ethylene oxide per mole of nonyl phenol) were mixed by means of a high speed mixer of the type Ultraturrax for about 15-20 min. at 10.000 rpm. This resulted in an emulsion having a droplet diameter of 0.2-0.5 μm . This emulsion was added to the same seed latex as described in example 1. An amount of 248.6 ml of seed latex was used containing 228.6 ml of H_2O + 20 ml of polystyrene particles. After stirring for 15 hours at 40°C 421.4 ml of H_2O , 2 g of NaLS and 800 ml of chlorobenzene were added. After stirring for 60 min. all chlorobenzene had diffused into the droplets. The emulsion was examined in optical microscope, and it was found that a monodisperse emulsion having a droplet diameter of 2.1 μm . had been formed.

Example 7

77 ml of H_2O , 11.7 ml of chlorododecane, 1.8 g of benzoyl peroxide, 9.3 ml of dichloroethane and 0.2 g of Na-laurylsulphate were homogenized as described in example 1. This emulsion was added to the same type and the same amount of seed latex as described in example 1. Further, 6 ml of H_2O and 8.5 ml of acetone were added under ordinary stirring at 35-40°C. After stirring for 12 hours at 40°C acetone was removed by evaporation under vacuum. After evaporation of acetone and dichloroethane 1.0 g of Na-laurylsulphate and 840 ml of H_2O were added to provide a total of 1000 ml of H_2O . Further, 275 ml of distilled styrene were added under ordinary

- 26 -

stirring at 30°C. After stirring for 2 hours at 30°C the temperature was raised to 60°C and the polymerisation started. After 25 hours polymerisation a monodisperse latex was obtained having a particle diameter of about 2 µm.

5 Example 8

- 100 ml of H₂O, 20 ml of dioctyl adipate, 0.5 g of NaLS were homogenized as described in example 1. This emulsion was added to a seed latex of a bidisperse polyvinyl chloride having particle diameters of 0.1 and 0.3 µm (determined by electron microscopy). 45 ml of seed latex were employed containing 35 ml of H₂O and 10 ml of polymer particles. Then 15 ml of acetone were added under ordinary stirring at 40°C. After stirring for 10 hours at 40°C the acetone was removed by evaporation under vacuum.
- 15 After evaporation of acetone 2.0 g of NaLS and 865 ml of H₂O were added to provide a total of 1000 ml H₂O. Further, 600 ml of vinyl chloride were added under ordinary stirring at 30°C. After stirring for 2 hours at 30°C all vinyl chloride had diffused into the droplets, and 3.0 g of AIBN dissolved in 10 ml
- 20 of dichloroethane were added. After stirring for 1 hour at 30°C the temperature was raised to 50°C for polymerisation. The final latex was bidisperse and contained particles having diameters 0.3 and 1.0 µm.

Example 9

- 25 150 ml of H₂O, 30 ml of dioctyl adipate, 0.75 g of Na-laurylsulphate were homogenized as described in example 1.

- 27 -

This emulsion was added to a seed latex of polyvinyl chloride having particles evenly distributed from 0.1 to 0.3 μm . 60 ml of seed latex containing 45 ml of H_2O and 15 ml of particles were employed. Then 20 ml of acetone were added
5 under ordinary stirring at 40°C . After stirring for 10 hours at 40°C acetone was removed by evaporation under vacuum. After evaporation of acetone 2.25 g of Na-laurylsulphate and 745 ml of H_2O were added. Further, 800 ml of vinyl chloride were added. After stirring for 2 hours at 50°C 2.0 g of $\text{K}_2\text{S}_2\text{O}_8$
10 dissolved in 60 ml of H_2O were added, and polymerisation was carried out. The final latex contained particles having diameters from 0.3-1.0 μm .

Example 10

Monodisperse latex of polystyrene having a
15 particle diameter of 2.1 μm was prepared as described in example 7. To 125.6 ml of this latex containing 100 ml of H_2O and 25.6 ml of particles comprising 1.2 ml of chloro-
dodecane were added 3.0 g of Na-laurylsulphate and 900 ml of H_2O to provide a total of 1000 ml of H_2O . Further, 900 ml
20 of chlorobenzene were added under ordinary stirring at 30°C . After stirring for 2 hours at 30°C all chlorobenzene had diffused into the droplets. The emulsion was examined in optical microscope, and it was found that a monodisperse
emulsion had been formed having a droplet diameter of about
25 6.5 μm .

- 28 -

Example 11

120 ml of styrene and 100 ml of chlorododecane were mixed and added to 1000 ml of H_2O , 200 ml of methanol and 0.6 g of $K_2S_2O_8$, and the entire mixture was then polymerized at 60°C for 8 hours. The latex formed was monodisperse having a particle diameter of 0.75 μm and with particles consisting of polystyrene and chlorododecane in the ratio 1:1. 180 ml of the seed latex formed, consisting of 150 ml of H_2O and 15 ml of polymer particles swelled with 15 ml of chloro-

5 at 60°C for 8 hours. The latex formed was monodisperse having a particle diameter of 0.75 μm and with particles consisting of polystyrene and chlorododecane in the ratio 1:1. 180 ml of the seed latex formed, consisting of 150 ml of H_2O and 15 ml of polymer particles swelled with 15 ml of chloro-

10 dodecane were added to 850 ml of H_2O , 2.0 g of NaLS and 800 ml of chlorobenzene with ordinary stirring at 30°C. After stirring for 60 min. at 30°C all the chlorobenzene had diffused into the particles. The emulsion was examined in optical microscope, and it was found that a monodisperse emulsion

15 having a droplet diameter of 2.25 μm had been formed.

Example 12

100 ml of H_2O , 9 ml of 1-chlorododecane and 5 g of NaLS were homogenized in a two stage Manton Gaulin homogenizer with 200 kg/cm^2 in the 1st stage and 80 kg/cm^2 in the 2nd stage for 1-1.5 min. This resulted in an emulsion having a droplet diameter of 0.1-0.2 μm . To this emulsion there was added a seed latex of monodisperse polybutyl acrylate having a particle diameter of 0.3 μm (determined by electron microscopy). 109 ml of seed latex were used

20 in the 2nd stage for 1-1.5 min. This resulted in an emulsion having a droplet diameter of 0.1-0.2 μm . To this emulsion there was added a seed latex of monodisperse polybutyl acrylate having a particle diameter of 0.3 μm (determined by electron microscopy). 109 ml of seed latex were used

25 containing 100 ml of H_2O and 9 ml of polymer particles. Further, 20 ml of acetone were added under ordinary stirring at 35-40°C. After stirring for 3 hours at 35°C acetone was

- 29 -

removed by evaporation under vacuum. (It should be noted that the stirring time for incorporating the 1-chlorododecane has been strongly reduced since a polymer having a much lower glass transition temperature than polystyrene was used.)

5 After evaporating the acetone 800 ml of H_2O were added to provide a total of 1000 ml of H_2O . Then 800 ml of chlorobenzene were added at $30^{\circ}C$. After stirring for 2 hours all chlorobenzene had diffused into the droplets, and examination in optical microscope indicated a monodisperse
10 emulsion having a droplet diameter of about $1.4 \mu m$.

Example 13

Seed latex of monodisperse polystyrene having a particle diameter of $0.5 \mu m$ (determined by electron microscopy) was swelled with a slightly water soluble compound, in this
15 case toluene. This was done to decrease the glass transition temperature of the particles and then facilitate the transport of Substance I within the particles. An amount of 99 ml of seed latex was used containing 91 ml of H_2O and 8 ml of polystyrene particles. To this latex was added 0.05 g Na-
20 laurylsulphate and 8 ml toluene under ordinary stirring at $35^{\circ}C$. After the absorption of toluene in the particles had taken place, the swelling with Substance I was carried out. 80 ml of H_2O , 8 ml of 1-chlorododecane and 0.2 g of Na-laurylsulphate were homogenized as described in example 1. This emulsion of
25 Substance I was then added to the seed latex previously swollen with toluene as described above. 10 ml of acetone was added

- 30 -

and the mixture stirred at 35°C. By this method the time for complete absorption of Substance I into the particles was considerably reduced and was completed in less than 2 hours. After removal of acetone by evaporation, 829 ml of H₂O, 2.75 g of Na-laurylsulphate and 800 ml of chlorobenzene were added, and the stirring continued at 35°C. After stirring for 60 min. all chlorobenzene had diffused into the particles. The emulsion was examined in optical microscope and it was found that a monodisperse emulsion having a droplet diameter of 2.3 µm had been formed.

Example 14

50 ml of H₂O, 5 ml of Perkadox SE 8 (dioctanoyl peroxide) and 1.5 g of NaLS were homogenized. Perkadox SE 8 is an initiator having a melting point of 19°C, and due to the low solubility in water it may act alone as Substance I for the swelling of polymer particles.

After homogenisation the emulsion was charged with a seed latex of monodisperse polybutyl acrylate having a particle diameter of 0.3 µm (determined by electron microscopy). There were used 60.5 ml of seed latex containing 55.5 ml of H₂O and 5 ml of polymer particles. Then 10.5 ml of acetone were added under ordinary stirring at 30°C. After stirring for 3 hours at 30°C acetone was removed by evaporation under vacuum.

After the evaporation of acetone 894.5 ml of H₂O were added to provide a total of 1000 ml of H₂O. Further, 200 ml of distilled styrene were added under ordinary stirring

- 31 -

at 30°C. After stirring for 2 hours at 30°C the temperature was raised to 60°C, and polymerisation was carried out to complete conversion. A monodisperse latex was formed having a particle diameter of about 1 μ m.

5 Example 15

20 ml of H₂O, 6 ml of Perkadox SE-8 (dioctanoyl peroxide) and 0.2 g of Na-laurylsulphate were homogenized as described in example 1. To this emulsion was added a seed latex of monodisperse polystyrene prepared as described in example 7, having a particle diameter of 1.7 μ m (determined by electron microscopy). 41 ml of seed latex were used containing 35 ml of H₂O and 6 ml of polystyrene particles. In addition, 6 ml of acetone were added under ordinary stirring at 25-30°C. After stirring for 14 hours at 25-30°C acetone was removed by evaporation under vacuum.

After evaporation of acetone 1.5 g of NaLS, 1.0 g of Berol 267 (nonyl phenol ethoxylate containing 8 moles of ethylene oxide per mole of nonyl phenol), and 945 ml of H₂O were added to provide a total of 1000 ml of H₂O. Then 200 ml of distilled styrene were added under ordinary stirring at 25-30°C. After stirring for 3 hours at 25-30°C the temperature was raised to 70°C, and polymerisation was carried out to complete conversion. The final latex was monodisperse and contained particles having a diameter of about 5 μ m.

25 Example 16

35 ml of H₂O, 4 ml of Perkadox SE-8 (dioctanoyl peroxide), 3 ml of chlorododecane and 0.2 g of Na-laurylsulphate

- 32 -

were homogenized as described in example 1. To this emulsion was added a seed latex of monodisperse polystyrene prepared as described in example 7 having a particle diameter of 2 μm (determined by electron microscopy). 28.5 ml of seed latex were employed containing 25 ml of H_2O + 3.5 ml of polystyrene particles. In addition 10 ml of H_2O and 7 ml of acetone were added under ordinary stirring at 25-30°C. After stirring for 14 hours at 25-30°C acetone was removed by evaporation under vacuum.

10 After the evaporation of acetone 1.2 g of NaLS, 1.0 g of Berol 267 and 930 ml of H_2O were added to provide a total of 1000 ml of H_2O . Then 175 ml of distilled styrene were added under ordinary stirring at 25-30°C. After stirring for 3 hours at 25-30°C the temperature was raised to 70°C, and 15 polymerisation was carried out to complete conversion. The final latex was monodisperse and contained particles having a diameter of about 7 μm .

Example 17

20 20 ml of H_2O , 6 ml of Perkadox SE-8 (dioctanoyl peroxide) and 0.2 g of Na-laurylsulphate were homogenized as described in example 1. To this emulsion was added a seed latex of monodisperse polystyrene having a particle diameter of 1.7 μm (determined by electron microscopy) prepared as described in example 7. 41 ml of seed latex were employed 25 containing 35 ml of H_2O and 6 ml of polystyrene particles. In addition 6 ml of acetone were added under ordinary stirring at 25-30°C. After stirring for 14 hours at 25-30°C acetone was

- 33 -

removed by evaporation under vacuum.

After evaporation of acetone 1.5 g of Na-lauryl-sulphate and 945 ml of H_2O were added to provide a total of 1000 ml of H_2O . Then 70 ml of distilled styrene were
5 added under ordinary stirring at 25-30°C. After stirring for 30 min. at 25-30°C the temperature was raised to 70°C. After polymerisation for 2 hours at 70°C the addition of the remaining amount of monomer was started, and 140 ml of distilled styrene were added in the course of 5 hours. The temperature in the
10 reactor was 70°C during the addition of styrene.

Polymerisation was carried out to complete conversion, and the final latex contained particles having a diameter of about 5 μm with standard deviation of about 0.5 μm .

In this example only some of the monomer was added
15 at the beginning of the second step, while the rest of the monomer was added after the polymerisation had proceeded for some time.

Example 18

30 ml of H_2O , 6 ml of stearyl methacrylate and
20 0.2 g of Na-laurylsulphate were homogenized as described in example 1. The temperature was kept at about 35°C during the homogenisation. To the emulsion was added a co-polymer latex of styrene and butyl acrylate having a particle diameter of about 0.35 μm (determined by electron microscopy) and a
25 glass transition temperature of about 15°C. 36 ml of latex containing 30 ml of H_2O and 6 ml of polymer particles were used. In addition 6 ml of acetone were added under ordinary stirring

- 34 -

at about 35°C. After stirring for 5 hours at about 35°C acetone was removed by evaporation under vacuum.

After evaporation of acetone 2.5 g of Na-lauryl-sulphate and 940 ml of H₂O were added to provide a total of
5 1000 ml of H₂O. Then 210 ml of styrene were added during ordinary stirring at about 35°C. After stirring for 2 hours at about 35°C 4 g of AIBN dissolved in a small amount of 1,2-dichloroethane were added. After stirring for 1 hour at about 35°C the temperature was raised to 70°C and polymerisation
10 was carried out to complete conversion. The final latex contained particles having a diameter of about 1 µm.

Example 19

30 g of lauroyl peroxide (LPO) was dissolved in 30 g of styrene, and 30 g of 1-chlorododecane were added.
15 Then 400 ml of H₂O and 0.8 g of NaLS were added. The mixture was homogenized in a two stage homogenizer from Manton-Gaulin model 15-M, and the emulsion formed contained droplets having a diameter of 0.1-0.6 µm. The emulsion was transferred to a reactor at 60°C, and polymerisation was carried out to
20 complete reaction. The latex formed contained particles having a diameter of 0.1-0.6 µm. To 82 g of the latex were added 933 ml of H₂O, 3.0 g of NaLS and 750 ml of chlorobenzene under ordinary stirring at 35°C. The amount of chlorobenzene added corresponds to 75-80 times the volume of the polymer
25 particles. After stirring for 2 hours at 35°C all chlorobenzene had diffused into the particles, and the emulsion formed contained droplets having a diameter of 0.5-2.5 µm.

- 35 -

Example 20

Latex having a particle diameter of 0.1-0.6 μm was prepared as described in example 19. To 37 g of the latex formed were added 970 ml of H_2O , 6.0 g of NaLS and 800 ml of chlorobenzene under ordinary stirring at 35°C. In this example a higher concentration of emulsifier than in example 19 was used, and the amount of polymer particles relative to the amount of chlorobenzene could thereby be reduced. The amount of chlorobenzene used corresponds to about 180 times the volume of the polymer particles. After stirring for 2 hours at 35°C all chlorobenzene had diffused into the particles, and the emulsion formed contained droplets having a diameter of 0.5-3.5 μm .

Example 21

Latex having a particle diameter of 0.1-0.6 μm was prepared as described in example 19. To 82 g of the latex formed were added 933 ml of H_2O , 3.0 g of NaLS and 500 ml of styrene under ordinary stirring at 20°C. The amount of styrene added corresponds to approx. 50 times the volume of the polymer particles.

After stirring for 2 hours at 20°C the temperature was raised to 80°C, and polymerisation was carried out until complete reaction by means of LPO present from the first step. The latex formed contained particles having a diameter of 0.5-2.0 μm , and the solids content was about 30 percent.

Example 22

Latex having a particle size of 0.1-0.6 μm was prepared as described in example 19.

To 111 g of the latex formed were added 910 ml of H_2O , 4.0 g of
5 NaLS and 900 ml of vinyl chloride under ordinary stirring at
20°C. The amount of vinyl chloride added corresponds to
65-70 times the volume of the polymer particles. After
stirring for 2 hours at 20°C the temperature was raised to
50°C, and polymerisation was carried out to approx. 90 percent
10 conversion by means of LPO present from the first step. The
latex formed contained particles having a diameter of
0.5-2.0 μm , and the solids content was about 40 percent.

- 1 -

Claims:-

1. A process for preparing an aqueous emulsion or dispersion of a partly water-soluble material characterized in

5 that a dispersion of polymer particles is prepared in a first step containing one or more materials having a water solubility of $< 10^{-2}$ g/l (herein referred to as Substance I) in an amount of up to 10 times by volume the amount of polymer in said particles and
10 that in a second step the partly water-soluble material (herein referred to as Substance II) is added whereby the said Substance II diffuses into the particles containing Substance I.

2. A process as claimed in claim 1, wherein a
15 Substance I having a molecular weight of < 5000 is added in the first step to an aqueous dispersion of polymer particles or to an aqueous dispersion of monomer or mixture of monomers from which the polymer particles are prepared in the presence of Substance I, under conditions
20 which cause a substantial increase in the rate of transport of Substance I through the aqueous phase to the polymer particles which particles are thereby swelled with Substance I by agitation, and then adding in the second
25 step Substance II after the conditions have been changed to prevent or hinder transport of Substance I through the aqueous phase, whereby Substance II, during agitation, diffuses into the polymer particles swelled with Substance I.

3. A process as claimed in claim 2 wherein the
30 transport of Substance I through the aqueous phase in the

first step is increased by the use of an emulsifier concentration above the critical micelle concentration whereby some or all of Substance I is solubilized in micelles; the increased transport effect being eliminated
5 before addition of Substance II in the second step by dilution with water.

4. A process as claimed in claim 2 wherein the first step is effected in the presence of a solvent which is wholly or partly soluble in water and is a solvent for
10 Substance I; the solvent, if desired, being removed after the first step.

5. A process as claimed in any of the preceding claims wherein, in the second step, the amount of water in the dispersion of polymer particles swelled with Substance I
15 is increased and the desired Substance II is added in an amount of up to 1000 times, by volume, the amount of polymer in the particles from the first step.

6. A process as claimed in any one of the preceding claims, wherein a monomer is added wholly or in part as
20 Substance II which monomer is polymerized after having diffused into the swelled polymer particles.

7. A process as claimed in claim 6, wherein a water-soluble or partly water-soluble initiator is added after the addition of monomer in the second step.

25 8. A process as claimed in claim 6, wherein an initiator having a very low water solubility is added dissolved in Substance I in the first step.

9. A process as claimed in claim 6, wherein a liquid initiator is used as Substance I and also serves as an

- 3 -

initiator for the polymerisation of monomer introduced in the second step.

10. A process as claimed in claim 1, wherein the dispersion of polymer particles of the first step is
5 prepared by homogenisation of a mixture of a monomer, Substance I and, if desired, an oil-soluble initiator with water and emulsifier, to obtain an emulsion of this mixture, then, if desired, adding a wholly or partly water-soluble initiator, and effecting the polymerisation
10 whereby a dispersion of polymer particles containing 5-90 percent by volume of Substance I is obtained.

11. A process as claimed in claim 10, wherein a vinyl monomer is used as Substance II and is polymerised after diffusing into the particles prepared in the first step.

15 12. A process as claimed in any one of the preceding claims substantially as herein described in any one of the Examples.



European Patent
Office


EUROPEAN SEARCH REPORT

0003905

Application number

EP 79 30 0274

DOCUMENTS CONSIDERED TO BE RELEVANT			CLASSIFICATION OF THE APPLICATION (Int. Cl.)
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	
	<p>FR - A - 2 341 596 (SINTEF)</p> <p>* Page 4, lines 13-17; page 6, lines 18-31; page 8, line 32; claims 1,7,10 *</p> <p>--</p>	1,6,12	C 08 J 3/02 C 08 F 291/00
PD	<p>DE - A - 2 751 867 (SINTEF)</p> <p>* Claims 1,2,4,5 *</p> <p>--</p>	1,6,7, 11,12	
A	<p>US - A - 3 875 130 (KEMP)</p>		TECHNICAL FIELDS SEARCHED (Int. Cl.)
A	<p>US - A - 3 282 874 (FRIEDRICH et al.)</p> <p>----</p>		C 08 J 3/02 C 08 F 2/24 2/22 291/00 259/04 257/02 2/18 2/20
			CATEGORY OF CITED DOCUMENTS
			X: particularly relevant A: technological background O: non-written disclosure P: intermediate document T: theory or principle underlying the invention E: conflicting application D: document cited in the application L: citation for other reasons
			&: member of the same patent family, corresponding document
<input checked="" type="checkbox"/> The present search report has been drawn up for all claims			
Place of search		Date of completion of the search	Examiner
The Hague		30-05-1979	MEULEMANS



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 0 003 905 B2**

(12) **NEW EUROPEAN PATENT SPECIFICATION**

(45) Date of publication and mention
of the opposition decision:
16.10.1996 Bulletin 1996/42

(51) Int Cl.⁶: **C08J 3/02**, **C08F 291/00**,
G03G 9/08

(45) Mention of the grant of the patent:
09.05.1984 Bulletin 1984/19

(21) Application number: 79300274.2

(22) Date of filing: 21.02.1979

(54) **A process for preparing an aqueous emulsion or dispersion of a partly water-soluble material**

Verfahren zur Herstellung einer wässrigen Emulsion oder Dispersion eines teilweise wasserlöslichen Materials

Procédé de préparation d'une émulsion ou dispersion aqueuse d'une substance partiellement soluble dans l'eau

(84) Designated Contracting States:
BE CH DE FR GB IT NL SE

(30) Priority: 21.02.1978 NO 780596
28.08.1978 NO 782920

(43) Date of publication of application:
05.09.1979 Bulletin 1979/18

(73) Proprietor: **SINTEF**
N-7034 Trondheim NTH (NO)

(72) Inventor: **Ugelstad, John**
Trondheim (NO)

(74) Representative: **Hildyard, Edward Martin et al**
Frank B. Dehn & Co.,
European Patent Attorneys,
179 Queen Victoria Street
London EC4V 4EL (GB)

(56) References cited:

DE-A- 2 751 867	FR-A- 1 474 564
FR-A- 2 053 376	FR-A- 2 196 345
FR-A- 2 205 535	FR-A- 2 234 321
FR-A- 2 316 251	FR-A- 2 316 252
FR-A- 2 341 596	GB-A- 978 875
GB-A- 1 492 028	US-A- 2 575 553
US-A- 3 282 874	US-A- 3 875 130

Remarks:

The file contains technical information submitted
after the application was filed and not included in this
specification

EP 0 003 905 B2

Description

The present invention relates to a process for preparing aqueous emulsions or dispersions of a partly water-soluble material or mixtures of partly water-soluble materials, and possibly further polymerisation when the partly water-soluble material is a monomer or a mixture containing one or more monomers.

In U.S. Patent Specification No. 4,113,687, which discloses a process for preparing emulsions of somewhat water-soluble vinyl monomers, it has been demonstrated that it is possible to prepare stable emulsions of vinyl monomer by preparing in a first step an aqueous pre-emulsion of a material having a very low solubility in water, by an efficient homogenisation process, and then upon addition of water and emulsifier allowing the somewhat water-soluble vinyl monomer to diffuse into the droplets of the material having a very low solubility in water. The fact that the droplets in the pre-emulsion consisted of a material which combined very low water solubility and low molecular weight, had the effect that the droplets could absorb 50-500 times their own volume of the somewhat water-soluble vinyl monomer, with formation of stable dispersions which were subjected to polymerisation to form a latex. The pre-emulsion was in this case prepared by homogenisation, which leads to a broad distribution of the droplet size which became even broader after absorption of the vinyl monomer.

In German Offenlegungsschrift P27 51 867.8 there is disclosed the preparation of a dispersion of particles by ordinary emulsion polymerisation, but in contrast to ordinary polymer latexes, the particles contain a substantial fraction of oligomers having a much lower molecular weight. As a consequence of this the particles may take up 20-500 times their own volume of a somewhat water-soluble substance. In order to attain the formation of oligomers having low molecular weight by ordinary emulsion polymerisation there is used according to German Offenlegungsschrift P27 51 867.8 an addition of chain transfer agent during the polymerisation, which causes the formation of shorter chains.

Both in the process described in U.S. Patent Specification No. 4,113,687 and in German Offenlegungsschrift P27 51 867.8, there is obtained in a first step a pre-emulsion of particles which have the ability to take up a somewhat water-soluble material in an amount of 10-200 times more than corresponding polymer particles.

By the method described in German Offenlegungsschrift P27 51 867.8 one avoids the homogenisation of the substance having a very low solubility in water and having a low molecular weight, which is described in U.S. Patent Specification No. 4,113,687. Further, the method disclosed in German Offenlegungsschrift P27 51 867.8 provides greater possibilities for the preparation of more monodisperse droplets or particles with a predetermined size. A disadvantage of the method described in German Offenlegungsschrift P27 51 867.8, is

however, that the chain transfer agent which usually will be a mercaptan compound, is a badly smelling, slightly toxic compound with which it is unpleasant to work. Further, addition thereof will often result in a reduction of the rate of polymerisation. It may also require that the chain transfer agent is added in portions or continuously during the polymerisation in order not to obtain a too broad distribution of molecular weight and a too high proportion of highly polymeric material.

According to the present invention there is provided a process for preparing an aqueous emulsion or dispersion of a partly water-soluble material characterised in that an aqueous dispersion of polymer particles is prepared in a first step containing from 0.05 to 10 times by volume, based on the polymer, of one or more materials having a water solubility of $<10^{-2}$ g/l and having a molecular weight of <5000 (herein referred to as Substance I) said Substance I not being an oligomer of the polymer forming the particles and being non-crystalline at the temperature at which it is incorporated into the particles, and is in liquid form at the temperature at which Substance II is introduced in a second step, and that in said second step the partly water-soluble material having a water-solubility of at least ten times that of Substance I (herein referred to as Substance II) is added under conditions which prevent or hinder transport of Substance I through the aqueous phase, whereby Substance II diffuses into the polymer particles swelled with Substance I and increases the volume of said particles by from 20 to 1000 times, based on the polymer.

A Substance I is advantageously used which has a water-solubility of $<10^{-4}$ g/l.

The term "partly water-soluble" as used herein is used to denote materials having a water-solubility of at least ten times the water-solubility of Substance I referred to herein.

Thus aqueous dispersions of particles are prepared which in addition to polymer molecules contain a considerable proportion of one or more low molecular weight material(s) having a very low solubility in water ($<10^{-2}$ g/l), in the following called Substance I, and which therefore have a much greater ability than particles of pure polymer, to take up a partly water-soluble substance, in the following called Substance II, added in the next step.

In German Offenlegungsschrift P27 51 867.8 particles containing 10-100% water-insoluble oligomer are prepared by addition of a chain transfer agent during the polymerisation of the monomer on which the particles are based.

According to the present invention Substance I as such is introduced into the particles. This takes place during or after the formation of the polymer particles, for example, by emulsion polymerisation which makes it possible for Substance I to diffuse through the aqueous phase and to become absorbed in the particles. Substance I may also be incorporated directly in the polymer particles by preparing an aqueous emulsion of a mixture

of Substance I and a monomer by homogenisation and then polymerising the monomer, for instance a vinyl monomer, to obtain polymer particles containing Substance I. The common feature of the two processes is that in the first step there is prepared an aqueous dispersion of particles or droplets which in addition to polymer contains a relatively low molecular weight water-insoluble Substance I, and that these particles, as mentioned above, will be able to absorb a very large amount of a partly water-soluble Substance II which under the conditions given may diffuse through the aqueous phase and be taken up in the particles consisting of polymer and Substance I.

By having prepared in the first step particles which in addition to polymer also contain Substance I, there have been formed particles which are capable of taking up the partly water-soluble Substance II which may diffuse through the aqueous phase to the particles and become absorbed therein. In the second step one may then attain a ratio by volume between Substance II and particles which is 5-100 times higher than with particles of pure polymer. The Substance II used may be any partly water-soluble substance which is capable of diffusing through the aqueous phase. It may for instance also be a monomer or a mixture of a monomer and another Substance II.

In the case when Substance II added in the second step comprises a monomer, it may be polymerized after absorption in the particles. The present process represents in this case a specific type of seed technique.

The first method in which Substance I is incorporated in the first step in polymer particles prepared by ordinary emulsion polymerisation is particularly suitable when it is desired to prepare dispersions having a predetermined particle or droplet size and size distribution, including monodisperse droplets or particles and polydisperse systems with a very even size within the individual fractions. Monodisperse emulsions are very difficult to prepare by ordinary emulsion processes. Similarly, it is very difficult to prepare directly monodisperse polymer dispersions having a particle diameter above 1 micrometre. For several purposes it is desirable to prepare larger particles having a uniform particle size, for instance as standard for microscopy, as model systems for separation, fluid flow, centrifugation, diffusivity measurement and dust investigations. Further, the particles may be used in electro kinetic studies and also within photography, for instance as a coating layer in X-ray film. They may also be used within biomedicine as a means for diagnosis and detection of antigens and antibodies in biological fluids. Similarly, it may also be desirable to have a predetermined size and size distribution in dispersions of active substances having for instance biochemical effect, such as pesticides. Further, for certain paint dispersions a predetermined particle size distribution is desirable. This is also the case with PVC-dispersions. Monodisperse particles may also be used as flattening agents for paint and powder paint.

They may also be used as toners, for example in xerography. Further, the particles in dry form may be used for tribological purposes. By using as Substance II a mixture of a partly water-soluble solvent, a vinyl monomer and a divinyl monomer, one may after swelling polymerize and strip off the solvent in a *per se* known manner to obtain porous particles which are suitable for separation purposes. By using as Substance II a monomer or a monomer mixture and a low boiling substance, the present process may be used for the preparation of expanding microspheres. Large monodisperse particles may also be used for the preparation of material for ion chromatography wherein it is preferred that the particles are monodisperse to attain minimum pressure drop in the column.

According to the invention for the above purposes one may prepare an aqueous dispersion of polymer particles by ordinary emulsion polymerisation and then with a specific treatment of these particles, increase their ability to take up the somewhat water-soluble material, Substance II. By preparing polymer particles according to general principles it is possible to adjust the size and the size distribution of the particles within wide limits. In the subsequent addition of the partly water-soluble material, dispersions of this material will then be obtained with a droplet size which is completely determined by the size of the premade polymer particles and the amount of Substance II absorbed in the particles. According to the present invention it is possible to absorb in the premade polymer particles up to 1000 times the volume of the polymer particles of the partly water-soluble materials by this two step swelling process.

In a preferred embodiment of the process according to the invention the polymer particles are swelled in the first step with the material having a very low solubility in water, Substance I. Thus the process of the present invention is preferably effected by the addition of Substance I in the first step to an aqueous dispersion of polymer particles or to an aqueous dispersion of monomer or mixture of monomers from which the polymer particles are prepared in the presence of Substance I, under conditions which cause an increase in the rate of transport of Substance I through the aqueous phase to the polymer particles whereby a substantial increase in the rate of absorption of Substance I is obtained over the rate of absorption obtainable by bulk addition of Substance I which particles are thereby swelled with Substance I by agitation, and then adding Substance II in the second step. Substance I has a molecular weight of <5000, preferably <500, and a water solubility of <10⁻², normally <10⁻⁴, preferably <10⁻⁵ g/l of H₂O. In order to attain a transportation of Substance I having a very low solubility in water through the aqueous phase and into the particles, it is necessary to carry out the first step under conditions which facilitate this transfer of Substance I. The transfer may be facilitated in several ways. One may conveniently increase the rate of transport by preparing a finely divided aqueous emulsion of Sub-

stance I which is added to the dispersion of polymer particles. This distribution will facilitate the transfer by increasing the boundary surface towards water. This fine distribution of Substance I may be provided by using relatively large amounts of emulsifier or mixtures of emulsifiers which will result directly in finely divided emulsions, possibly micro-emulsions, or in specific cases, mixed micelles and/or by using intensive homogenisation of Substance I, water and emulsifier. Thus the rate of transport of Substance I through the aqueous phase in the first step may conveniently be increased by the use of an emulsifier concentration above the critical micelle concentration whereby some or all of Substance I is solubilized in micelles; the increased rate of transport effect being eliminated before addition of Substance II in the second step by dilution with water.

The first step may optionally comprise that the swelling of the polymer particles in the first step with Substance I takes place continuously during the preparation of the polymer particles. This may be done by allowing Substance I to be present during the preparation of the polymer. It is then preferably mixed with the monomer mixture from which the polymer is prepared, and in addition initiator is used. In order for Substance I to diffuse into the polymer particles as they are formed, the polymerisation is carried out under conditions which allow transport of Substance I through the aqueous phase.

A preferred method, by virtue of its ability to facilitate the transfer of Substance I to the particles, comprises that the first step is effected in the presence of a solvent which is a solvent for Substance I and at the same time is soluble in water; the solvent, if desired, being removed after the first step. This will increase the rate of transfer of Substance I to the particles by increasing the solubility in the aqueous phase. Examples of such solvents are acetone and lower alkanols. Normally said solvents are used in an amount of 1-100 percent of the amount of water, based on volume.

Where the monomer or one of the monomers in a mixture of monomers used for the preparation of polymer particles, into which Substance I is to be introduced, is relatively water-soluble, the monomer itself may serve as such a solvent. Examples of such relatively water-soluble monomers are vinyl acetate, acrylic acid, acrylonitrile, methyl acrylate and acrylic amide which then in a subsequent step are polymerized.

Advantageously it is also possible to employ a combination of the above methods which will comprise the preparation of Substance I in a finely dispersed form and the use of an excess of emulsifier or addition of a solvent miscible with water in the first step.

In those cases in which the glass transition temperature, T_g , of the polymer particles is above the temperature at which Substance I is introduced, the diffusion of Substance I into the polymer particles may be rate determining. In this case it may be advantageous to have present a small amount of a substance which will

lower the T_g of the particles before introducing Substance I. This may for instance be accomplished by letting the original polymer particles contain a substantial amount of unreacted monomer or during the preparation of the original polymer particles to have present a substance which is sufficiently water-soluble to diffuse into the polymer particles as they are formed. Also this substance may be absorbed in premade polymer particles. The only purpose of this substance is to lower T_g and thereby facilitate transport of Substance I into the particles.

The transfer of Substance I to the polymer particles in the first step, so that they become swelled with Substance I, may be accomplished in several ways. Polymer particles are accordingly obtained containing Substance I in an amount of from 0.05 up to 10, normally 0.05-5, particularly 1-4 times the amount of the polymer, based on volume. An essential feature of the present process is that the partly water-soluble Substance II is added in a second step under conditions which prevent or hinder transport of Substance I through the aqueous phase so that substantially no Substance I may diffuse out of the polymer particles whilst Substance II may diffuse through the aqueous phase into the polymer particles. Particles which are swelled with Substance I are capable of taking up from 20 to 1000, normally up to 800, particularly 20-300 times their original volume of Substance II. The strong reduction of transport of Substance I from the particles before Substance II is added, which is a necessary condition for the method to work, will partly be attained directly when water is added before addition of Substance II. As particles containing Substance I should be charged with from 20 up to 1000 times their original volume of Substance II, it will be necessary to dilute with water, according to the desired concentration in the final dispersion. Thus, if a dispersion is desired in which the ratio between water and Substance II is 1:1 by volume, water is added in step 2 in such an amount that the total amount of water will be the same as the amount of Substance II added in step 2. Normally the ratio between water and Substance II in the final dispersion will be from 95:5 to 20:80. Before addition of this amount of water there is present a relatively high concentration of those materials which have been added to facilitate the transport of Substance I to the particles. By addition of the large amount of H_2O in the second step, the concentration of said materials will be strongly reduced, and thereby the possibility of transport of Substance I out of the particles will be considerably reduced. By using for instance acetone to promote more readily the transport of Substance I to the particles in the first step, it is advantageous to evaporate it off before adding water and Substance II in the second step. It is an essential feature of the present invention for the preparation of the dispersion of Substance II, that addition of Substance I and Substance II takes place in two steps so that Substance I is absorbed in the particles in a first step, normally under conditions enabling transport of

Substance I, while Substance II diffuses into the particles under conditions which inhibit the transport of Substance I through the aqueous phase. Thus, it will be found that if Substance I and Substance II are first mixed and this mixture is then added to an aqueous dispersion of the polymer particles, and by addition of for instance acetone, it is made possible for both Substance I and Substance II to be transported through the aqueous phase to the particles, then both Substance I and Substance II will be taken up, but the total amount absorbed will be limited to 1-4 times the volume of the particles.

When the ratio between water and Substance II is less than 50:50 it may be advantageous to add Substance II in portions or continuously over a certain period.

As Substance I there may be used any material or mixture of materials that exhibits the given properties, very low water-solubility and relatively low molecular weight. They are non-crystalline at the temperature at which they are incorporated into the particles and are in a liquid form at the temperature at which Substance II is introduced into the particles in the second step. There will not only be attained the above mentioned strongly increased capacity to absorb Substance II, but also often a very strong increase in the rate of absorption. This is in particular the case when working with a polymer in the initial particles for which the glass transition temperature is above the temperature employed during the swelling with Substance II.

If Substance II is a vinyl monomer which is to be polymerized after having diffused into the particles containing Substance I, it may be advantageous to use as Substance I, wholly or in part, a water-insoluble vinyl monomer which may be co-polymerized with the vinyl monomer added in the second step. Examples of vinyl monomers which satisfy the above requirements with respect to Substance I, are stearyl vinyl ether and stearyl methacrylate.

When the partly water-soluble Substance II wholly or in part is a monomer which after diffusion into the particles polymerizes to a polymer, the present invention represents as mentioned above, a type of seed technique which has often been described in the literature in connection with the preparation of latexes. With an ordinary seed process a latex is prepared by a common emulsion polymerisation and this latex is used as seed. Monomer, water, emulsifier and initiator are added to this seed, and the polymerisation is performed. A latex will then be formed having larger particles than in the original seed latex. Means are provided to ensure that the polymerisation takes place inside the seed particles to avoid new formation of particles in the aqueous phase. The weakness of the conventional seed method is that the seed particles which consist of polymer molecules as described above are capable of absorbing only 1-4 times their own volume. If it is desired to prepare 500 g of latex particles from for instance 10 g of seed particles, this must be made in several steps with step-

wise addition of emulsifier. The 10 g of seed particles will absorb only up to 40 g of monomer. This will result only in a small increase in the surface, and since it is not desired to have too much emulsifier in the aqueous phase, the amount of emulsifier must be limited to an amount which becomes absorbed on the surface of the swelled seed particles. After polymerisation additional monomer and emulsifier are added, and the process is repeated. It will be obvious that this will require several steps before 500 g of latex particles have been formed.

By using, as according to the present invention, a seed consisting of polymer+Substance I, the seed particles will be capable of absorbing much greater amounts of monomer, it often being possible to add all monomer in one step, and the amount of seed employed may be greatly reduced. In the preparation of very large particles it may be necessary to repeat the process of swelling with monomer, possibly also with Substance I and initiator. In any case the number of steps will be greatly reduced in comparison with the number of steps necessary for the preparation of particles of the same size by using a common seed process. Further, the swelling of the particles with the large amount of monomer has the effect that a very large increase in the surface is attained. A consequence of this is that even if all emulsifier is added initially, it will to a very high extent become adsorbed on the surface of the swelled particles, and there will be very little emulsifier left in the aqueous phase, and therefore the formation of new particles in the aqueous phase will not take place.

As initiator for polymerisation, water-soluble initiators such as $K_2S_2O_8$ or H_2O_2 may be used. They are preferably added after swelling of the polymer particles with monomer. An oil-soluble initiator may also be used.

When using an oil-soluble initiator which is somewhat soluble in water, such as azobisisobutyric nitrile (AIBN), this may be added after the monomer has diffused into the particles or it may be dissolved in the monomer before the latter diffuses into the particles. When using oil-soluble initiators which are less water-soluble, such as lauroyl peroxide, it will be necessary to add this together with Substance I as the conditions are then, as described above, such that even substances having a very low solubility in water may be transported through the aqueous phase.

In one embodiment of the present invention an initiator having a very low solubility in water is added, in the first step, dissolved in Substance I. Initiators having a very low water solubility conveniently have a water solubility of $<10^{-2}$ g/l, preferably $<10^{-4}$ g/l and especially 10^{-5} g/l.

Initiators which possess the combination of low solubility in water and low molecular weight may also act as Substance I. It has been found that certain specific initiators which are liquid at the temperatures in question are particularly favourable as Substance I. They may easily be incorporated in the particles according to the methods described above. This will in particular be of

interest when Substance II is a monomer, as such initiators act as Substance I, and further, they will act as initiator for the polymerisation of Substance II. An example of such an initiator is dioctanoyl peroxide.

Oil-soluble initiators which have a very low solubility in water, such as dioctanoyl peroxide, have the advantage in comparison with more water-soluble initiators such as AIBN, that they not only reduce the risk of formation of new particles in the aqueous phase, but they also reduce the risk of bulk polymerisation. With the latter oil-soluble, but also somewhat water-soluble, initiator, it is an absolute requirement that all monomer has been absorbed in the particles before the polymerisation is started by raising the temperature. Similarly, with this initiator, care must be taken so that no monomer phase is formed by evaporation and condensation of monomer during the polymerisation. Oil-soluble initiators such as AIBN are sufficiently water-soluble to diffuse into the possible monomer phase and start a bulk polymerisation which will result in the formation of large lumps and thereby entail great disadvantages. By using an initiator having a very low solubility in water, such as dioctanoyl peroxide, the possibility of all monomer added in the second step not being absorbed, will not be of the same importance since the initiator has such a low water-solubility that it will not diffuse out of the particles through the aqueous phase to the possible monomer phase. Thus, if a certain monomer phase is intermediately present during the polymerisation, the only thing which may possibly happen is a thermal polymerisation therein, and monomer will primarily be absorbed in the particles containing the initiator as the polymerisation proceeds.

With such an oil-soluble initiator having a very low solubility in water one may therefore, if desired, even swell and polymerize in several steps at the polymerisation temperature without having to reduce the temperature before each swelling process with monomer, to prevent bulk polymerisation. Similarly, for the same reason it is possible to add vinyl monomer continuously during the polymerisation. Even in these cases it is an advantage that Substance I (which in this case is initiator) is liquid at the temperature in question, so that the rate at which the monomer is absorbed in the particles increases. The use of dioctanoyl peroxide or other greatly water-insoluble initiators alone or together with another Substance I which is not initiator has been found very suitable for the preparation of monodisperse particles having a large particle size.

For the preparation of large monodisperse particles according to the present invention one starts with a seed having relatively small monodisperse polymer particles which are charged with Substance I as described above and then with monomer which is then polymerized. The starting seed is prepared by ordinary emulsion polymerisation under conditions which yield monodisperse particles. Such methods are well known in the literature, see for instance Woods, M. E., Dodge, J. S. and Krieger,

I. M., J. Paint Techn. 40, 541 (1968).

These methods, which all are variations of ordinary emulsion polymerisation, are satisfactory for the preparation of monodisperse particles having a diameter up to approx. 0.5 micrometre. Monodisperse particles having a diameter above 1 micrometre are difficult to prepare by these methods, and monodisperse particles above 2 micrometres cannot be prepared by ordinary emulsion polymerisation.

By the process according to the present invention it has been found possible to prepare monodisperse particles with a very low standard deviation having a diameter ≥ 5 micrometres.

The preferred embodiment described above for the preparation of particles containing Substance I is particularly favourable if it is desired to obtain a monodisperse dispersion or a polydisperse dispersion having even particle or droplet sizes within the individual fractions. In some cases this will not be necessary or desirable, and it may be satisfactory or even desirable to obtain a broad distribution of particle size. In this case the other method mentioned above may be used. This is the method which comprises mixing of monomer, Substance I and possibly oil soluble initiator and then preparing a dispersion of these materials by mixing with water and emulsifier and homogenisation of this mixture with a homogenizer. Due to the presence of Substance I the dispersion prepared will be stable against degradation due to diffusion, as described in our U.S. Patent Specification No. 4,113,687.

After the homogenisation the monomer is polymerized. This may be accomplished by adding a water-soluble initiator or an oil-soluble, partly water-soluble initiator which diffuses through the aqueous phase into the particles. If an oil-soluble initiator has been present during the homogenisation, the monomer is polymerized by heating after homogenisation. Thereby a dispersion of particles containing 5-90 percent by volume of Substance I is prepared. These particles do not differ in principle from the particles described above wherein Substance I is incorporated in the preformed polymer particles or is present during the preparation.

The essential common feature of the two methods described above, is that in both cases particles are prepared in a first step which in addition to polymer contain an essential proportion of the relatively low molecular weight Substance I having a low solubility in water, which provides particles having a greatly increased capacity of absorption and results in increased rate of absorption. The particles prepared by the latter method are swelled in the next step with Substance II in the same manner and with the same result as the particles prepared according to the former process. Even with the latter particles Substance II may be a monomer which after absorption is polymerized either by means of the initiator already present in the particles and/or by means of additional initiator or additives which increase the rate of formation of radicals in the particles. The advantages

of this seed method in comparison with ordinary seed methods are of course the same as described above and are as follows: The presence of Substance I in the seed particles entails an enormous increase in the ability of the seed particles to be swelled with monomer. Thereby, the amount of seed used may be reduced. Further, the increased extent of swelling will result in a very large increase of the surface of the particles. Thereby the capacity to absorb the emulsifier increases, so that all emulsifier may be added initially without any risk of having so much emulsifier present in the aqueous phase that formation of new particles takes place therein. In ordinary seed polymerisation the emulsifier must be added continuously or stepwise to avoid formation of new particles in the aqueous phase.

Since it is possible to use such small amounts of seed, it may be without importance for the properties of the final polymer dispersion which monomer is used in the first step, and it is accordingly possible to use a monomer in the first step which is different from that added in the second step.

The present invention may be used for the preparation of dispersions of any partly water-soluble material and mixtures of such which are capable of diffusing through the aqueous phase, which will require that Substance II conveniently has a water-solubility of $>10^{-4}$ g/l H_2O , preferably $>10^{-3}$ g/l H_2O . The ratio between the solubility of Substance I and Substance II is of essential importance. Thus, Substance II is at least 10 times, preferably at least 100 times as water-soluble as Substance I. Thus, when Substance I has a water-solubility of 10^{-4} g/l H_2O , Substance II should preferably have a water-solubility of above 10^{-2} g/l H_2O . On the other hand, if it is desired to prepare a dispersion of a Substance II with a water-solubility of 10^{-4} g/l H_2O , there should be used a Substance I having a water-solubility of preferably less than 10^{-6} g/l H_2O .

It has been found that even relatively small amounts of Substance I in the polymer particles will provide a considerable increase in the ability of the particles to absorb Substance II compared with particles of pure polymer in the case of relatively large particles. Such a system with large particles containing relatively little of Substance I, in addition to being obtainable from pure polymer dispersions, will be present after a process with swelling of particles having a relatively high content of Substance I with monomer which is then polymerized as described above. Particles have then been obtained which are much larger than the original particles, which means that the amount of polymer has greatly increased while the amount of Substance I is the same as before the process with swelling and polymerisation. It has been found that even with an amount of about 5 percent by volume of Substance I, based on polymer, particles having a diameter of about 2 micrometres are capable of absorbing an amount of Substance II which is about 40 times higher than the amount of polymer particles, based on volume.

Example 1

77 ml of H_2O , 13.5 ml of 1-chlorododecane and 0.2 g of Na-laurylsulphate (NaLS) were homogenized in a two-stage Manton Gaulin homogenizer, model 15 M with 200 kg/cm² in the 1st stage and 80 kg/cm² in the 2nd stage for 1-1.5 min. This resulted in an emulsion having a droplet diameter of about 0.1-1.2 micrometre. This emulsion was charged with seed latex of monodisperse polystyrene having a particle diameter of 0.65 micrometre (determined by electron microscopy). An amount of 83.8 ml of seed latex was used containing 77 ml of H_2O and 6.8 ml of polystyrene particles. Further, 6 ml of H_2O and 18 ml of acetone were added under ordinary stirring at 35-40°C. After stirring for 10 hours at 40°C acetone was removed by evaporation under vacuum. The emulsion was examined in optical microscope, and it was found that a monodisperse emulsion having a droplet diameter of about 0.9 micrometre had been obtained. After evaporating the acetone 1.0 g of Na-lauryl sulphate and 840 ml of H_2O were added, so that a total of 1000 ml of H_2O were present. Then, 800 ml of chlorobenzene were added under ordinary stirring at 30°C. After stirring for 60 min. at 30°C all chlorobenzene had diffused into the droplets. The emulsion was examined in optical microscope, and it was found that a monodisperse emulsion having a droplet diameter of about 3.0 micrometres had been formed.

Example 2

The experiment was carried out as described in Example 1, the only difference being that 35 ml of acetone were used. With this increase in the amount of acetone the stirring time for the introduction of 1-chlorododecane could be reduced to <5 hours.

Example 3

Swelling of monodisperse polystyrene latex with chlorododecane was carried out as described in Example 1. After evaporating the acetone 1.0 g of Na-laurylsulphate and 840 ml of H_2O were added, to provide a total of 1000 ml H_2O . Then 800 ml of ethyl benzene were added at 30°C under ordinary stirring. After 60 min. all ethyl benzene had diffused into the droplets. Examination in optical microscope indicated a monodisperse emulsion having a droplet diameter of about 3.0 micrometres.

Example 4

350 ml of H_2O , 13.5 ml of 1-chlorododecane and 6 g of Berol 09 (nonyl phenol ethoxylate containing 10 moles of ethylene oxide per mole of nonyl phenol) were mixed in a high speed mixer of the type Ultra-Turrax (registered Trade Mark) for about 15-20 min. at 10.000 rpm. This yielded an emulsion having a droplet diameter

of 0.2-0.5 micrometre. This emulsion was then added to the same type and amount of polystyrene seed latex as described in Example 1. Then 47 ml of acetone were added under ordinary stirring at 35-40°C. After stirring for 10 hours at 40°C acetone was evaporated under vacuum. Examination in optical microscope indicated a monodisperse emulsion having a droplet diameter of 0.9 micrometre. After evaporation of acetone 1.0 g of Na-laurylsulphate and 573 ml of H₂O were added, giving a total of 1000 ml of H₂O. Then 800 ml of ethyl benzene were added under ordinary stirring at 30°C. After stirring for 60 min. at 30°C all ethyl benzene had diffused into the droplets. Examination in optical microscope indicated a monodisperse emulsion having a droplet diameter of 3.0 micrometres.

Example 5

75 ml of H₂O, 15 ml of dioctyl adipate and 0.75 g of Na-laurylsulphate were homogenized as described in Example 1. This emulsion was added to a seed latex of bidisperse polyvinyl chloride having particle diameters of 0.2 and 0.8 micrometre (determined by electron microscopy). 24.3 ml of seed latex were used containing 16.8 ml of H₂O and 7.5 ml of polymer particles. Further, 10 ml of acetone were added under ordinary stirring at 35-40°C. After stirring for 10 hours at 40°C acetone was removed by evaporation under vacuum. The emulsion was examined in optical microscope, and it was found that the result was a bidisperse emulsion having droplet diameters of about 0.25 and 1.1 micrometres. After evaporation of acetone 1.8 g of Na-laurylsulphate and 908.2 ml of H₂O were added, to provide a total of 1000 ml of H₂O. Further, 660 ml of dichloroethane were added at 30°C under ordinary stirring. After stirring for 60 min. at 30°C all dichloroethane had diffused into the droplets. The emulsion was examined in optical microscope, and it was found that a bidisperse emulsion had been obtained having a droplet diameter of 0.8 and 3.5 micrometres.

Example 6

330 ml of H₂O, 10 ml of chlorododecane, 10.5 g of Berol 09 (nonyl-phenol ethoxylate containing 10 moles of ethylene oxide per mole of nonyl phenol) were mixed by means of a high speed mixer of the type Ultra-Turrax (registered Trade Mark) for about 15-20 min. at 10,000 rpm. This resulted in an emulsion having a droplet diameter of 0.2-0.5 micrometre. This emulsion was added to the same seed latex as described in Example 1. An amount of 248.6 ml of seed latex was used containing 228.6 ml of H₂O+20 ml of polystyrene particles. After stirring for 15 hours at 40°C 421.4 ml of H₂O, 2 g of NaLS and 800 ml of chlorobenzene were added. After stirring for 60 min. all chlorobenzene had diffused into the droplets. The emulsion was examined in optical microscope, and it was found that a monodisperse emulsion having

a droplet diameter of 2.1 micrometres had been formed.

Example 7

77 ml of H₂O, 11.7 ml of chlorododecane, 1.8 g of benzoyl peroxide, 9.3 ml of dichloroethane and 0.2 g of Na-laurylsulphate were homogenized as described in Example 1. This emulsion was added to the same type and the same amount of seed latex as described in Example 1. Further, 6 ml of H₂O and 8.5 ml of acetone were added under ordinary stirring at 35-40°C. After stirring for 12 hours at 40°C acetone was removed by evaporation under vacuum. After evaporation of acetone and dichloroethane 1.0 g of Na-laurylsulphate and 840 ml of H₂O were added to provide a total of 1000 ml of H₂O. Further, 275 ml of distilled styrene were added under ordinary stirring at 30°C. After stirring for 2 hours at 30°C the temperature was raised to 60°C and the polymerisation started. After 25 hours polymerisation a monodisperse latex was obtained having a particle diameter of about 2 micrometres.

Example 8

100 ml of H₂O, 20 ml of dioctyl adipate, 0.5 g of NaLS were homogenized as described in Example 1. This emulsion was added to a seed latex of a bidisperse polyvinyl chloride having particle diameters of 0.1 and 0.3 micrometre (determined by electron microscopy), 45 ml of seed latex were employed containing 35 ml of H₂O and 10 ml of polymer particles. Then 15 ml of acetone were added under ordinary stirring at 40°C. After stirring for 10 hours at 40°C the acetone was removed by evaporation under vacuum. After evaporation of acetone 2.0 g of NaLS and 865 ml of H₂O were added to provide a total of 1000 ml H₂O. Further, 600 ml of vinyl chloride were added under ordinary stirring at 30°C. After stirring for 2 hours at 30°C all vinyl chloride had diffused into the droplets, and 3.0 g of AIBN dissolved in 10 ml of dichloroethane were added. After stirring for 1 hour at 30°C the temperature was raised to 50°C for polymerisation. The final latex was bidisperse and contained particles having diameters 0.3 and 1.0 micrometre.

Example 9

150 ml of H₂O, 30 ml of dioctyl adipate, 0.75 g of Na-laurylsulphate were homogenized as described in Example 1. This emulsion was added to a seed latex of polyvinyl chloride having particles evenly distributed from 0.1 to 0.3 micrometre 60 ml of seed latex containing 45 ml of H₂O and 15 ml of particles were employed. Then 20 ml of acetone were added under ordinary stirring at 40°C. After stirring for 10 hours at 40°C acetone was removed by evaporation under vacuum. After evaporation of acetone 2.25 g of Na-laurylsulphate and 745 ml of H₂O were added. Further, 800 ml of vinyl chloride were added. After stirring for 2 hours at 50°C 2.0 g of

$K_2S_2O_8$ dissolved in 60 ml of H_2O were added, and polymerisation was carried out. The final latex contained particles having diameters from 0.3-1.0 micrometre.

Example 10

Monodisperse latex of polystyrene having a particle diameter of 2.1 micrometres was prepared as described in Example 7. To 125.6 ml of this latex containing 100 ml of H_2O and 25.6 ml of particles comprising 1.2 ml of chlorododecane were added 3.0 g of Na-laurylsulphate and 900 ml of H_2O to provide a total of 1000 ml of H_2O . Further, 900 ml of chlorobenzene were added under ordinary stirring at 30°C. After stirring for 2 hours at 30°C all chlorobenzene had diffused into the droplets. The emulsion was examined in optical microscope, and it was found that a monodisperse emulsion had been formed having a droplet diameter of about 6.5 micrometres.

Example 11

120 ml of styrene and 100 ml of chlorododecane were mixed and added to 1000 ml of H_2O , 200 ml of methanol and 0.6 g of $K_2S_2O_8$, and the entire mixture was then polymerized at 60°C for 8 hours. The latex formed was monodisperse having a particle diameter of 0.75 micrometre and with particles consisting of polystyrene and chlorododecane in the ratio 1:1. 180 ml of the seed latex formed, consisting of 150 ml of H_2O and 15 ml of polymer particles swelled with 15 ml of chlorododecane were added to 850 ml of H_2O , 2.0 g of NaLS and 800 ml of chlorobenzene with ordinary stirring at 30°C. After stirring for 60 min. at 30°C all the chlorobenzene had diffused into the particles. The emulsion was examined in optical microscope, and it was found that a monodisperse emulsion having a droplet diameter of 2.25 micrometres had been formed.

Example 12

100 ml of H_2O , 9 ml of 1-chlorododecane and 5 g of NaLS were homogenized in a two stage Manton Gaulin homogenizer with 200 kg/cm² in the 1st stage and 80 kg/cm² in the 2nd stage for 1-1.5 min. This resulted in an emulsion having a droplet diameter of 0.1-0.2 micrometre. To this emulsion there was added a seed latex of monodisperse polybutyl acrylate having a particle diameter of 0.3 micrometre (determined by electron microscopy). 109 ml of seed latex were used containing 100 ml of H_2O and 9 ml of polymer particles. Further, 20 ml of acetone were added under ordinary stirring at 35-40°C. After stirring for 3 hours at 35°C acetone was removed by evaporation under vacuum. (It should be noted that the stirring time for incorporating the 1-chlorododecane has been strongly reduced since a polymer having a much lower glass transition temperature than polystyrene was used.)

After evaporating the acetone 800 ml of H_2O were added to provide a total of 1000 ml of H_2O . Then 800 ml of chlorobenzene were added at 30°C. After stirring for 2 hours all chlorobenzene had diffused into the droplets, and examination in optical microscope indicated a monodisperse emulsion having a droplet diameter of about 1.4 micrometres.

Example 13

Seed latex of monodisperse polystyrene having a particle diameter of 0.5 micrometre (determined by electron microscopy) was swelled with a slightly water soluble compound, in this case toluene. This was done to decrease the glass transition temperature of the particles and then facilitate the transport of Substance I within the particles. An amount of 99 ml of seed latex was used containing 91 ml of H_2O and 8 ml of polystyrene particles. To this latex was added 0.05 g Na-laurylsulphate and 8 ml toluene under ordinary stirring at 35°C. After the absorption of toluene in the particles had taken place, the swelling with Substance I was carried out. 80 ml of H_2O , 8 ml of 1-chlorododecane and 0.2 g of Na-laurylsulphate were homogenized as described in Example 1. This emulsion of Substance I was then added to the seed latex previously swollen with toluene as described above. 10 ml of acetone was added and the mixture stirred at 35°C. By this method the time for complete absorption of Substance I into the particles was considerably reduced and was completed in less than 2 hours. After removal of acetone by evaporation, 829 ml of H_2O , 2.75 g of Na-laurylsulphate and 800 ml of chlorobenzene were added, and the stirring continued at 35°C. After stirring for 60 min. all chlorobenzene had diffused into the particles. The emulsion was examined in optical microscope and it was found that a monodisperse emulsion having a droplet diameter of 2.3 micrometres had been formed.

Example 14

50 ml of H_2O , 5 ml of Perkadox SE 8 (dioctanoyl peroxide) and 1.5 g of NaLS were homogenized. Perkadox SE 8 (The word 'Parkadox' being a registered Trade Mark) is an initiator having a melting point of 19°C, and due to the low solubility in water it may act alone as Substance I for the swelling of polymer particles.

After homogenisation the emulsion was charged with a seed latex of monodisperse polybutyl acrylate having a particle diameter of 0.3 micrometre (determined by electron microscopy). There were used 60.5 ml of seed latex containing 55.5 ml of H_2O and 5 ml of polymer particles. Then 10.5 ml of acetone were added under ordinary stirring at 30°C. After stirring for 3 hours at 30°C acetone was removed by evaporation under vacuum.

After the evaporation of acetone 894.5 ml of H_2O were added to provide a total of 1000 ml of H_2O . Further,

200 ml of distilled styrene were added under ordinary stirring at 30°C. After stirring for 2 hours at 30°C the temperature was raised to 60°C, and polymerisation was carried out to complete conversion. A monodisperse latex was formed having a particle diameter of about 1 micrometre.

Example 15

20 ml of H₂O, 6 ml of Perkadox SE-8 (dioctanoyl peroxide, the word 'Perkadox' being a registered Trade Mark) and 0.2 g of Na-laurylsulphate were homogenized as described in Example 1. To this emulsion was added a seed latex of monodisperse polystyrene prepared as described in Example 7, having a particle diameter of 1.7 micrometres (determined by electron microscopy). 41 ml of seed latex were used containing 35 ml of H₂O and 6 ml of polystyrene particles. In addition, 6 ml of acetone were added under ordinary stirring at 25-30°C. After stirring for 14 hours at 25-30°C acetone was removed by evaporation under vacuum.

After evaporation of acetone 1.5 g of NaLS, 1.0 g of Berol 267 (nonyl phenol ethoxylate containing 8 moles of ethylene oxide per mole of nonyl phenol) and 945 ml of H₂O were added to provide a total of 1000 ml of H₂O. Then 200 ml of distilled styrene were added under ordinary stirring at 25-30°C. After stirring for 3 hours at 25-30°C the temperature was raised to 70°C, and polymerisation was carried out to complete conversion. The final latex was monodisperse and contained particles having a diameter of about 5 micrometres.

Example 16

35 ml of H₂O, 4 ml of Perkadox SE-8 (dioctanoyl peroxide, the word 'Perkadox' being a registered Trade Mark), 3 ml of chlorododecane and 0.2 g of Na-laurylsulphate were homogenized as described in Example 1. To this emulsion was added a seed latex of monodisperse polystyrene prepared as described in Example 7 having a particle diameter of 2 micrometres (determined by electron microscopy). 28.5 ml of seed latex were employed containing 25 ml of H₂O+3.5 ml of polystyrene particles. In addition 10 ml of H₂O and 7 ml of acetone were added under ordinary stirring at 25-30°C. After stirring for 14 hours at 25-30°C acetone was removed by evaporation under vacuum.

After the evaporation of acetone 1.2 g of NaLS, 1.0 g of Berol 267 and 940 ml of H₂O were added to provide a total of 1000 ml of H₂O. Then 175 ml of distilled styrene were added under ordinary stirring at 25-30°C. After stirring for 3 hours at 25-30°C the temperature was raised to 70°C, and polymerisation was carried out to complete conversion. The final latex was monodisperse and contained particles having a diameter of about 7 micrometres.

Example 17

20 ml of H₂O, 6 ml of Perkadox SE-8 (dioctanoyl peroxide, the word 'Perkadox' being a registered Trade Mark) and 0.2 g of Na-laurylsulphate were homogenized as described in Example 1. To this emulsion was added a seed latex of monodisperse polystyrene having a particle diameter of 1.7 micrometres (determined by electron microscopy) prepared as described in Example 7. 41 ml of seed latex were employed containing 35 ml of H₂O and 6 ml of polystyrene particles. In addition 6 ml of acetone were added under ordinary stirring at 25-30°C. After stirring for 14 hours at 25-30°C acetone was removed by evaporation under vacuum.

After evaporation of acetone 1.5 g of Na-laurylsulphate and 945 ml of H₂O were added to provide a total of 1000 ml of H₂O. Then 70 ml of distilled styrene were added under ordinary stirring at 25-30°C. After stirring for 30 min. at 25-30°C the temperature was raised to 70°C. After polymerisation for 2 hours at 70°C the addition of the remaining amount of monomer was started, and 140 ml of distilled styrene were added in the course of 5 hours. The temperature in the reactor was 70°C during the addition of styrene. Polymerisation was carried out to complete conversion, and the final latex contained particles having a diameter of about 5 µm with standard deviation of about 0.5 micrometre.

In this example only some of the monomer was added at the beginning of the second step, while the rest of the monomer was added after the polymerisation had proceeded for some time.

Example 18

30 ml of H₂O, 6 ml of stearyl methacrylate and 0.2 g of Na-laurylsulphate were homogenized as described in Example 1. The temperature was kept at about 35°C during the homogenisation. To the emulsion was added a co-polymer latex of styrene and butyl acrylate having a particle diameter of about 0.35 micrometre (determined by electron microscopy) and a glass transition temperature of about 15°C. 36 ml of latex containing 30 ml of H₂O and 6 ml of polymer particles were used. In addition 6 ml of acetone were added under ordinary stirring at about 35°C. After stirring for 5 hours at about 35°C acetone was removed by evaporation under vacuum.

After evaporation of acetone 2.5 g of Na-laurylsulphate and 940 ml of H₂O were added to provide a total of 1000 ml of H₂O. Then 210 ml of styrene were added during ordinary stirring at about 35°C. After stirring for 2 hours at about 35°C 4 g of AlbN dissolved in a small amount of 1,2-dichloroethane were added. After stirring for 1 hour at about 35°C the temperature was raised to 70°C and polymerisation was carried out to complete conversion. The final latex contained particles having a diameter of about 1 micrometre.

Example 19

30 g of lauroyl peroxide (LPO) was dissolved in 30 g of styrene, and 30 g of 1-chlorododecane were added. Then 400 ml of H₂O and 0.8 g of NaLS were added. The mixture was homogenized in a two stage homogenizer from Manton-Gaulin model 15-M, and the emulsion formed contained droplets having a diameter of 0.1-0.6 micrometre. The emulsion was transferred to a reactor at 60°C, and polymerisation was carried out to complete reaction. The latex formed contained particles having a diameter of 0.1-0.6 micrometre. To 82 g of the latex were added 933 ml of H₂O, 3.0 g of NaLS and 750 ml of chlorobenzene under ordinary stirring at 35°C. The amount of chlorobenzene added corresponds to 75-80 times the volume of the polymer particles. After stirring for 2 hours at 35°C all chlorobenzene had diffused into the particles, and the emulsion formed contained droplets having a diameter of 0.5-2.5 micrometre.

Example 20

Latex having a particle diameter of 0.1-0.6 micrometre was prepared as described in Example 19. To 37 g of the latex formed were added 970 ml of H₂O, 6.0 g of NaLS and 800 ml of chlorobenzene under ordinary stirring at 35°C. In this example a higher concentration of emulsifier than in Example 19 was used, and the amount of polymer particles relative to the amount of chlorobenzene could thereby be reduced. The amount of chlorobenzene used corresponds to about 180 times the volume of the polymer particles. After stirring for 2 hours at 35°C all chlorobenzene had diffused into the particles, and the emulsion formed contained droplets having a diameter of 0.5-3.5 micrometres.

Example 21

Latex having a particle diameter of 0.1-0.6 micrometre was prepared as described in Example 19. To 82 g of the latex formed were added 933 ml of H₂O, 3.0 g of NaLS and 500 ml of styrene under ordinary stirring at 20°C. The amount of styrene added corresponds to approx. 50 times the volume of the polymer particles.

After stirring for 2 hours at 20°C the temperature was raised to 80°C, and polymerisation was carried out until complete reaction by means of LPO present from the first step. The latex formed contained particles having a diameter of 0.5-2.0 micrometres, and the solids content was about 30 percent by weight.

Example 22

Latex having a particle size of 0.1-0.6 micrometre was prepared as described in Example 19. To 111 g of the latex formed were added 910 ml of H₂O, 4.0 g of NaLS and 900 ml of vinyl chloride under ordinary stirring at 20°C. The amount of vinyl chloride added corre-

sponds to 65-70 times the volume of the polymer particles. After stirring for 2 hours at 20°C the temperature was raised to 50°C, and polymerisation was carried out to approx. 90 percent conversion by means of LPO present from the first step. The latex formed contained particles having a diameter of 0.5-2.0 micrometres, and the solids content was about 40 percent.

10 Claims

1. A process for preparing an aqueous emulsion or dispersion of a partly water-soluble material characterized in that an aqueous dispersion of polymer particles is prepared in a first step containing from 0.05 to 10 times by volume, based on the polymer, of one or more materials having a water-solubility of $<10^{-2}$ g/l and having a molecular weight of <5000 (herein referred to as Substance I) said Substance I not being an oligomer of the polymer forming the particles and being non-crystalline at the temperature at which it is incorporated into the particles and is in liquid form at the temperature at which Substance II is introduced in a second step, and that in said second step the partly water-soluble material, having a water-solubility of at least ten times that of Substance I (herein referred to as Substance II) is added under conditions which prevent or hinder transport of Substance I through the aqueous phase, whereby Substance II diffuses into the polymer particles swelled with Substance I and increases the volume of said particles by from 20 to 1000 times, based on the polymer.
2. A process as claimed in claim 1 wherein the Substance I has a water-solubility of $<10^{-4}$ g/l.
3. A process as claimed in claim 1 or claim 2, wherein a Substance I is added in the first step to an aqueous dispersion of polymer particles or to an aqueous dispersion of monomer or mixture of monomers from which the polymer particles are prepared in the presence of Substance I, under conditions which cause a substantial increase in the rate of transport of Substance I through the aqueous phase to the polymer particles which particles are thereby swelled with Substance I, and then adding Substance II in the second step.
4. A process as claimed in claim 3 wherein the rate of transport of Substance I through the aqueous phase in the first step is increased by preparing a finely divided aqueous emulsion of Substance I which is added to the dispersion of polymer particles.
5. A process as claimed in claim 3 wherein the first step is effected in the presence of a solvent which

is soluble in water and is a solvent for Substance I; the solvent, if desired, being removed after the first step.

6. A process as claimed in any one of the preceding claims, wherein a monomer is added wholly or in part as Substance II which monomer is polymerized after having diffused into the swelled polymer particles. 5
7. A process as claimed in claim 6, wherein a water-soluble initiator is added after the addition of monomer in the second step. 10
8. A process as claimed in claim 6, wherein an initiator having a water-solubility of $<10^{-2}$ g/l is added dissolved in Substance I in the first step. 15
9. A process as claimed in claim 8, wherein a liquid initiator is used as Substance I and also serves as an initiator for the polymerisation of monomer introduced in the second step. 20
10. A process as claimed in claim 1, wherein the dispersion of polymer particles of the first step is prepared by homogenisation of a mixture of a monomer, Substance I and, if desired, an oil-soluble initiator with water and emulsifier, to obtain an emulsion of this mixture, then, if desired, adding an initiator having a water-solubility as defined in claim 8, and effecting the polymerisation whereby a dispersion of polymer particles containing 5-90 per cent by volume of Substance I is obtained. 25
11. A process as claimed in claim 10, wherein a vinyl monomer is used as Substance II and is polymerised after diffusing into the particles prepared in the first step. 30
12. A process as claimed in any of claims 1 to 9 wherein a monodisperse emulsion or dispersion is obtained. 35

Patentansprüche

1. Verfahren zur Herstellung einer wäßrigen Emulsion oder Dispersion von teilweise wasserlöslichem Material, dadurch gekennzeichnet, daß eine wäßrige Dispersion von Polymerteilchen in einer ersten Stufe hergestellt wird, enthaltend von 0,05- bis 10-fach bezogen auf das Volumen, basierend auf dem Polymeren, von einem oder mehreren Materialien mit einer Wasserlöslichkeit von $<10^{-2}$ g/l und mit einem Molekulargewicht von <5000 (im folgenden als Substanz I bezeichnet), wobei diese Substanz I nicht ein Oligomer des die Teilchen bildenden Polymeren ist und nicht-kristallin bei der Temperatur, bei der sie in die Teilchen einverleibt wird, ist, und 45

in flüssiger Form ist bei der Temperatur, bei der die Substanz II in einer zweiten Stufe eingeführt wird, und daß in dieser zweiten Stufe das teilweise wasserlösliche Material mit einer Wasserlöslichkeit von mindestens dem 10-fachen derjenigen der Substanz I (im folgenden als Substanz II bezeichnet) unter Bedingungen zugesetzt wird, daß der Transport der Substanz I durch die wäßrige Phase hindurch vermieden oder verhindert wird, wodurch die Substanz II in die Polymerteilchen, die mit der Substanz I gequollen sind, diffundiert und das Volumen dieser Teilchen vergrößert um das 20- bis 1000-fache basierend auf dem Polymeren.

2. Verfahren gemäß Anspruch 1, dadurch gekennzeichnet, daß die Substanz I eine Wasserlöslichkeit von $<10^{-4}$ g/l hat. 50
3. Verfahren gemäß Anspruch 1 oder 2, dadurch gekennzeichnet, daß eine Substanz I in der ersten Stufe zu einer wäßrigen Dispersion von Polymerteilchen oder zu einer wäßrigen Dispersion von Monomeren oder einem Gemisch von Monomeren, woraus die Polymerteilchen in Gegenwart von Substanz I hergestellt werden, zugesetzt wird unter Bedingungen, welche einen wesentlichen Anstieg in der Transportrate von Substanz I durch die wäßrige Phase zu den Polymerteilchen verursachen, wobei die Teilchen dadurch mit Substanz I gequollen werden und daß dann die Substanz II in der zweiten Stufe zugesetzt wird.
4. Verfahren gemäß Anspruch 3, dadurch gekennzeichnet, daß die Transportgeschwindigkeit von Substanz I durch die wäßrige Phase hindurch in der ersten Stufe erhöht wird, indem eine feinverteilte, wäßrige Emulsion von Substanz I, welche zu der Dispersion der Polymerteilchen zugesetzt wird, hergestellt wird.
5. Verfahren gemäß Anspruch 3, dadurch gekennzeichnet, daß die erste Stufe in Anwesenheit eines Lösungsmittels, welches in Wasser löslich und ein Lösungsmittel für Substanz I ist, bewirkt wird, wobei das Lösungsmittel gewünschtenfalls nach der ersten Stufe entfernt wird. 55
6. Verfahren gemäß einem der vorhergehenden Ansprüche, dadurch gekennzeichnet, daß ein Monomeres, ganz oder teilweise als Substanz II, zugesetzt wird, wobei das Monomere polymerisiert wird, nachdem es in die gequollenen Polymerteilchen diffundiert ist.
7. Verfahren gemäß Anspruch 6, dadurch gekennzeichnet, daß ein wasserlöslicher Initiator nach der Zugabe des Monomeren in der zweiten Stufe zugesetzt wird.

8. Verfahren gemäß Anspruch 6, dadurch gekennzeichnet, daß ein Initiator mit einer Wasserlöslichkeit von $< 10^{-2}$ g/l gelöst in Substanz I, in der ersten Stufe zugesetzt wird.
9. Verfahren gemäß Anspruch 8, dadurch gekennzeichnet, daß ein flüssiger Initiator als Substanz I verwendet wird und auch als Initiator für die Polymerisation des in der zweiten Stufe eingeführten Monomeren dient.
10. Verfahren gemäß Anspruch 1, dadurch gekennzeichnet, daß die Dispersion der Polymerteilchen der ersten Stufe hergestellt wird durch Homogenisierung eines Gemisches eines Monomeren, Substanz I und gewünschtenfalls eines öllöslichen Initiators mit Wasser und Emulgiermittel, um eine Emulsion dieses Gemisches zu erhalten, daß dann gewünschtenfalls ein Initiator mit einer Wasserlöslichkeit, wie in Anspruch 8 definiert, zugesetzt wird und daß die Polymerisation bewirkt wird, wodurch eine Dispersion der Polymerteilchen, enthaltend 5 bis 90 Vol.-% der Substanz I, erhalten wird.
11. Verfahren gemäß Anspruch 10, dadurch gekennzeichnet, daß ein Vinylmonomeres als Substanz II verwendet wird und nach Diffundieren in die in der ersten Stufe hergestellten Teilchen polymerisiert wird.
12. Verfahren gemäß einem der Ansprüche 1 bis 9, wobei eine monodisperse Emulsion oder Dispersion erhalten wird.

Revendications

1. Un procédé de préparation d'une émulsion ou dispersion aqueuse d'une substance partiellement soluble dans l'eau, caractérisé en ce qu'on prépare dans une première étape une dispersion aqueuse de particules polymères contenant de 0,05 à 10 fois le volume de polymère, d'une ou plusieurs substances ayant une solubilité dans l'eau inférieure à 10^{-2} g/l et ayant un poids moléculaire inférieur à 5000 (qu'on désignera ci-après par Substance I), ladite substance I n'étant pas un oligomère du polymère formant les particules et n'étant pas cristalline à la température à laquelle elle est incorporée dans les particules et se trouve à l'état liquide à la température à laquelle la substance II est introduite dans une deuxième étape, et en ce que, dans une seconde étape, la substance partiellement soluble dans l'eau, ayant une solubilité dans l'eau d'au moins dix fois celle de la Substance I (désignée ci-après par Substance II) est ajoutée dans des conditions qui empêchent ou entravent le transfert de Substance I dans la phase aqueuse, de manière que la Subs-

tance II diffuse dans les particules polymères gonflées avec la Substance I, et augmente le volume desdites particules de 20 à 1000 fois par rapport au polymère.

2. Procédé selon la revendication 1, dans lequel la Substance I a une solubilité dans l'eau inférieure à 10^{-4} g/l.
3. Procédé selon la revendication 1 ou la revendication 2, dans lequel une Substance I est ajoutée dans la première étape à une dispersion aqueuse de particules polymères ou à une dispersion aqueuse de monomère ou d'un mélange de monomères à partir duquel les particules polymères sont préparées en présence de Substance I, dans des conditions provoquant une augmentation importante de la vitesse de transfert de la Substance I dans la phase aqueuse puis dans les particules polymères, ces particules étant ainsi gonflées avec la Substance I, puis on ajoute la Substance II dans la seconde étape.
4. Procédé selon la revendication 3, dans lequel la vitesse de transfert de Substance I dans la phase aqueuse dans la première étape est augmentée est augmentée en préparant une émulsion aqueuse finement divisée de Substance I qui est ajoutée à la dispersion de particules polymères.
5. Procédé selon la revendication 3, dans lequel la première étape est conduite en présence d'un solvant qui est soluble dans l'eau et qui est un solvant pour la Substance I, le solvant étant éventuellement éliminé après la première étape.
6. Procédé selon l'une quelconque des revendications précédentes, dans lequel un monomère est ajouté en totalité ou en partie comme Substance II, lequel monomère est polymérisé après avoir diffusé dans les particules polymères gonflées.
7. Procédé selon la revendication 6, dans lequel un initiateur hydrosoluble est ajouté après addition de monomère dans la seconde étape.
8. Procédé selon la revendication 6, dans lequel on ajoute un initiateur ayant une solubilité dans l'eau inférieure à 10^{-2} g/l, dissous dans la Substance I dans la première étape.
9. Procédé selon la revendication 8, dans lequel un initiateur liquide est utilisé comme Substance I et sert également d'initiateur pour la polymérisation du monomère introduit dans la seconde étape.
10. Procédé selon la revendication 1, dans lequel la dispersion des particules polymères de la première étape est préparée par homogénéisation d'un mé-

lange d'un monomère, de Substance I et, éventuellement, d'un initiateur soluble dans l'huile avec de l'eau et un émulsionnant, pour obtenir une émulsion de ce mélange, puis, si on le désire, on ajoute un initiateur ayant une solubilité dans l'eau telle que définie dans la revendication 8, et on effectue la polymérisation, grâce à quoi on obtient une dispersion de particules polymères contenant de 5 à 90 pour cent en volume de Substance I.

10

11. Procédé selon la revendication 10, dans lequel un monomère vinylique est utilisé comme Substance II et est polymérisé après diffusion dans les particules préparées dans la première étape.

15

12. Procédé selon l'une quelconque des revendications 1 à 9, dans lequel on obtient une émulsion monodispersée ou une dispersion.

20

25

30

35

40

45

50

55